Groundsure
LOCATION INTELLIGENCE

Enviro+Geo Insight

108, HIGHER ROAD, LONGRIDGE, LANCASHIRE, PR3 3SY

Order Details

Date: 22/10/2026

Your ref: Go Property Land

Our Ref: GS-O9C-ZH5-BJU-4A9

Site Details

Location: 361169 437764

Area: 0.07 ha

Authority: Ribble Valley Borough Council ↗

Site plan



© Crown copyright and database rights 2026. Ordnance Survey® licence AC0000824534

Quick Links

Summary of findings p. 2 >

OS MasterMap site plan p.14 >

Aerial image p. 9 >


Insight User Guide ↗

Open this site in Explorer!

Access the data now in our interactive workspace.

- Map and interpret 130+ datasets across 170 years
- Generate insights and visuals quickly
- Revisit and collaborate with your team

Access to Groundsure Explorer requires an Insights account.
12 months access begins at purchase.



Contact us with any questions at:
info@groundsure.com ↗
01273 257 755

Certified B Corporation

Summary of findings

Page	Section	Past land use >	On site	0-50m	50-250m	250-500m	500-2000m
15 >	1.1 >	Historical industrial land uses >	3	16	25	30	-
18 >	1.2 >	Historical tanks >	0	0	4	0	-
19 >	1.3 >	Historical energy features >	0	0	3	2	-
19	1.4	Historical petrol stations	0	0	0	0	-
20	1.5	Historical garages	0	0	0	0	-
20	1.6	Historical military land	0	0	0	0	-
Page	Section	Past land use - un-grouped >	On site	0-50m	50-250m	250-500m	500-2000m
21 >	2.1 >	Historical industrial land uses >	3	17	33	37	-
25 >	2.2 >	Historical tanks >	0	0	4	0	-
25 >	2.3 >	Historical energy features >	0	0	17	12	-
27	2.4	Historical petrol stations	0	0	0	0	-
27	2.5	Historical garages	0	0	0	0	-
Page	Section	Waste and landfill >	On site	0-50m	50-250m	250-500m	500-2000m
28 >	3.1 >	Active or recent landfill >	0	0	0	1	-
29	3.2	Historical landfill (BGS records)	0	0	0	0	-
29	3.3	Historical landfill (LA/mapping records)	0	0	0	0	-
29 >	3.4 >	Historical landfill (EA/NRW records) >	0	0	2	0	-
30	3.5	Historical waste sites	0	0	0	0	-
30 >	3.6 >	Licensed waste sites >	0	0	0	2	-
31 >	3.7 >	Waste exemptions >	0	2	0	7	-
Page	Section	Current industrial land use >	On site	0-50m	50-250m	250-500m	500-2000m
32 >	4.1 >	Recent industrial land uses >	0	0	2	-	-
33 >	4.2 >	National Geographic Database (NGD) - Current or recent tanks >	0	0	1	-	-
33	4.3	Current or recent petrol stations	0	0	0	0	-
33	4.4	Sites determined as Contaminated Land	0	0	0	0	-
33	4.5	Control of Major Accident Hazards (COMAH)	0	0	0	0	-

33	4.6	Regulated explosive sites	0	0	0	0	-
34	4.7	Hazardous substance storage/usage	0	0	0	0	-
34	4.8	Historical licensed industrial activities (IPC)	0	0	0	0	-
34	4.9	Licensed industrial activities (Part A(1))	0	0	0	0	-
34	4.10	Licensed pollutant release (Part A(2)/B)	0	0	0	0	-
34	4.11	Radioactive Substance Authorisations	0	0	0	0	-
35 >	**4.12 >**	**Licensed Discharges to controlled waters >**	0	0	0	3	-
35	4.13	Pollutant release to surface waters (Red List)	0	0	0	0	-
36	4.14	Pollutant release to public sewer	0	0	0	0	-
36	4.15	List 1 Dangerous Substances	0	0	0	0	-
36	4.16	List 2 Dangerous Substances	0	0	0	0	-
36 >	**4.17 >**	**Pollution Incidents (EA/NRW) >**	0	0	0	1	-
37	4.18	Pollution inventory substances	0	0	0	0	-
37	4.19	Pollution inventory waste transfers	0	0	0	0	-
37	4.20	Pollution inventory radioactive waste	0	0	0	0	-

Page	Section	**Hydrogeology >**	On site	0-50m	50-250m	250-500m	500-2000m
38 >	**5.1 >**	**Superficial aquifer >**	Identified (within 500m)				
39 >	**5.2 >**	**Bedrock aquifer >**	Identified (within 500m)				
41 >	**5.3 >**	**Groundwater vulnerability >**	Identified (within 50m)				
42	5.4	Groundwater vulnerability- soluble rock risk	None (within 0m)				
42	5.5	Groundwater vulnerability- local information	None (within 0m)				
43 >	**5.6 >**	**Groundwater abstractions >**	0	0	0	0	6
45 >	**5.7 >**	**Surface water abstractions >**	0	0	0	0	4
46 >	**5.8 >**	**Potable abstractions >**	0	0	0	0	4
48	5.9	Source Protection Zones	0	0	0	0	-
48	5.10	Source Protection Zones (confined aquifer)	0	0	0	0	-

Page	Section	**Hydrology >**	On site	0-50m	50-250m	250-500m	500-2000m
49 >	**6.1 >**	**Water Network (OS NGD) >**	0	0	1	-	-
50 >	**6.2 >**	**Surface water features >**	0	0	3	-	-

50 >	6.3 >	WFD Surface water body catchments >	2	-	-	-	-
50 >	6.4 >	WFD Surface water bodies >	0	0	0	-	-
51 >	6.5 >	WFD Groundwater bodies >	1	-	-	-	-
Page	Section	River and coastal flooding	On site	0-50m	50-250m	250-500m	500-2000m
52	7.1	Risk of flooding from rivers and the sea	None (within 50m)				
52	7.2	Historical Flood Events	0	0	0	-	-
52	7.3	Flood Defences	0	0	0	-	-
53	7.4	Flood Storage Areas	0	0	0	-	-
54	7.5	Flood Zone 2	None (within 50m)				
54	7.6	Flood Zone 3	None (within 50m)				
Page	Section	Surface water flooding >					
55 >	8.1 >	Surface water flooding >	1 in 30 year, 0.3m - 1.0m (within 50m)				
Page	Section	Groundwater flooding >					
57 >	9.1 >	Groundwater flooding >	Low (within 50m)				
Page	Section	Environmental designations >	On site	0-50m	50-250m	250-500m	500-2000m
58	10.1	Sites of Special Scientific Interest (SSSI)	0	0	0	0	0
59	10.2	Conserved wetland sites (Ramsar sites)	0	0	0	0	0
59	10.3	Special Areas of Conservation (SAC)	0	0	0	0	0
59	10.4	Special Protection Areas (SPA)	0	0	0	0	0
59	10.5	National Nature Reserves (NNR)	0	0	0	0	0
60	10.6	Local Nature Reserves (LNR)	0	0	0	0	0
60 >	10.7 >	Designated Ancient Woodland >	0	0	0	0	9
60	10.8	Biosphere Reserves	0	0	0	0	0
61	10.9	Forest Parks	0	0	0	0	0
61	10.10	Marine Conservation Zones	0	0	0	0	0
61	10.11	Green Belt	0	0	0	0	0
61	10.12	Proposed Ramsar sites	0	0	0	0	0
61	10.13	Possible Special Areas of Conservation (pSAC)	0	0	0	0	0
62	10.14	Potential Special Protection Areas (pSPA)	0	0	0	0	0

62	10.15	Nitrate Sensitive Areas	0	0	0	0	0
62	10.16	Nitrate Vulnerable Zones	0	0	0	0	0
63 >	10.17 >	SSSI Impact Risk Zones >	1	-	-	-	-
64	10.18	SSSI Units	0	0	0	0	0
Page	Section	**Visual and cultural designations** >	On site	0-50m	50-250m	250-500m	500-2000m
65	11.1	World Heritage Sites	0	0	0	-	-
66	11.2	Area of Outstanding Natural Beauty	0	0	0	-	-
66	11.3	National Parks	0	0	0	-	-
66 >	11.4 >	Listed Buildings >	0	1	0	-	-
67	11.5	Conservation Areas	0	0	0	-	-
67	11.6	Scheduled Ancient Monuments	0	0	0	-	-
67	11.7	Registered Parks and Gardens	0	0	0	-	-
Page	Section	**Agricultural designations** >	On site	0-50m	50-250m	250-500m	500-2000m
68 >	12.1 >	Agricultural Land Classification >	Grade 4 (within 250m)				
69	12.2	Open Access Land	0	0	0	-	-
69	12.3	Tree Felling Licences	0	0	0	-	-
69	12.4	Environmental Stewardship Schemes	0	0	0	-	-
70	12.5	Countryside Stewardship Schemes	0	0	0	-	-
Page	Section	**Habitat designations** >	On site	0-50m	50-250m	250-500m	500-2000m
71 >	13.1 >	Priority Habitat Inventory >	0	3	2	-	-
72	13.2	Habitat Networks	0	0	0	-	-
72	13.3	Open Mosaic Habitat	0	0	0	-	-
72	13.4	Limestone Pavement Orders	0	0	0	-	-
Page	Section	**Geology 1:10,000 scale** >	On site	0-50m	50-250m	250-500m	500-2000m
73 >	14.1 >	10k Availability >	Identified (within 500m)				
74	14.2	Artificial and made ground (10k)	0	0	0	0	-
75	14.3	Superficial geology (10k)	0	0	0	0	-
75	14.4	Landslip (10k)	0	0	0	0	-
76	14.5	Bedrock geology (10k)	0	0	0	0	-

76	14.6	Bedrock faults and other linear features (10k)	0	0	0	0	-
Page	Section	**Geology 1:50,000 scale >**	On site	0-50m	50-250m	250-500m	500-2000m
77 >	**15.1 >**	**50k Availability >**	Identified (within 500m)				
78 >	**15.2 >**	**Artificial and made ground (50k) >**	0	0	1	3	-
79	15.3	Artificial ground permeability (50k)	0	0	-	-	-
80 >	**15.4 >**	**Superficial geology (50k) >**	0	1	1	0	-
81 >	**15.5 >**	**Superficial permeability (50k) >**	Identified (within 50m)				
81	15.6	Landslip (50k)	0	0	0	0	-
81	15.7	Landslip permeability (50k)	None (within 50m)				
82 >	**15.8 >**	**Bedrock geology (50k) >**	1	0	2	3	-
83 >	**15.9 >**	**Bedrock permeability (50k) >**	Identified (within 50m)				
83	15.10	Bedrock faults and other linear features (50k)	0	0	0	0	-
Page	Section	Boreholes	On site	0-50m	50-250m	250-500m	500-2000m
84	16.1	BGS Boreholes	0	0	0	-	-
Page	Section	**Natural ground subsidence >**					
85 >	**17.1 >**	**Shrink swell clays >**	Very low (within 50m)				
86 >	**17.2 >**	**Running sands >**	Very low (within 50m)				
88 >	**17.3 >**	**Compressible deposits >**	Negligible (within 50m)				
89 >	**17.4 >**	**Collapsible deposits >**	Very low (within 50m)				
90 >	**17.5 >**	**Landslides >**	Low (within 50m)				
92 >	**17.6 >**	**Ground dissolution of soluble rocks >**	Negligible (within 50m)				
Page	Section	**Mining and ground workings >**	On site	0-50m	50-250m	250-500m	500-2000m
94 >	**18.1 >**	**BritPits >**	0	0	4	3	-
96 >	**18.2 >**	**Surface ground workings >**	2	7	25	-	-
98 >	**18.3 >**	**Underground workings >**	0	4	0	0	0
98	18.4	Underground mining extents	0	0	0	0	-
99 >	**18.5 >**	**Historical Mineral Planning Areas >**	0	2	0	0	-
99 >	**18.6 >**	**Non-coal mining >**	1	0	0	1	0
100	18.7	JPB mining areas	None (within 0m)				

100	18.8	The Coal Authority non-coal mining	0	0	0	0	-
100	18.9	Researched mining	0	0	0	0	-
100	18.10	Mining record office plans	0	0	0	0	-
101	18.11	BGS mine plans	0	0	0	0	-
101	18.12	Coal mining	None (within 0m)				
101	18.13	Brine areas	None (within 0m)				
101	18.14	Gypsum areas	None (within 0m)				
101	18.15	Tin mining	None (within 0m)				
102	18.16	Clay mining	None (within 0m)				
Page	Section	Ground cavities and sinkholes	On site	0-50m	50-250m	250-500m	500-2000m
103	19.1	Natural cavities	0	0	0	0	-
103	19.2	Mining cavities	0	0	0	0	0
103	19.3	Reported recent incidents	0	0	0	0	-
103	19.4	Historical incidents	0	0	0	0	-
Page	Section	**Radon** >					
105 >	**20.1** >	**Radon** >	Less than 1% (within 0m)				
Page	Section	**Soil chemistry** >	On site	0-50m	50-250m	250-500m	500-2000m
107 >	**21.1** >	**BGS Estimated Background Soil Chemistry** >	1	1	-	-	-
107	21.2	BGS Estimated Urban Soil Chemistry	0	0	-	-	-
107	21.3	BGS Measured Urban Soil Chemistry	0	0	-	-	-
Page	Section	**Railway infrastructure and projects** >	On site	0-50m	50-250m	250-500m	500-2000m
108	22.1	Underground railways (London)	0	0	0	-	-
108	22.2	Underground railways (Non-London)	0	0	0	-	-
109	22.3	Railway tunnels	0	0	0	-	-
109 >	**22.4** >	**Historical railway and tunnel features** >	1	10	0	-	-
110	22.5	Royal Mail tunnels	0	0	0	-	-
110 >	**22.6** >	**Historical railways** >	0	5	0	-	-
110	22.7	Railways	0	0	0	-	-
110	22.8	Crossrail 2	0	0	0	0	-

111	22.9	HS2		0	0	0	0	-

Recent aerial photograph



Capture Date: 03/04/2023

Site Area: 0.07ha

Recent site history - 2020 aerial photograph



Capture Date: 16/04/2020

Site Area: 0.07ha

Recent site history - 2013 aerial photograph



Aerial photography supplied by Getmapping PLC. © Copyright Getmapping PLC 2026. All Rights Reserved.

Capture Date: 25/05/2013

Site Area: 0.07ha

Recent site history - 2001 aerial photograph



Capture Date: 12/05/2001

Site Area: 0.07ha

Recent site history - 2000 aerial photograph



Capture Date: 08/05/2000


Site Area: 0.07ha

OS MasterMap site plan



Site Area: 0.07ha

1 Past land use



Site Outline

Search buffers in metres (m)

Historical industrial land uses

Historical tanks

Historical energy features

1.1 Historical industrial land uses

Records within 500m	74

Potentially contaminative land use features digitised from historical Ordnance Survey® mapping at 1:10,000 and 1:10,560 scale, intelligently grouped into contiguous features. To prevent misrepresentation of the size of historical features at any given time, features are only grouped if they have similar geometries within immediately preceding or succeeding map editions. See section 2 for a breakdown of grouping if required. Grouped and the original un-grouped features can be cross-referenced across sections 1 and 2 using the 'Group ID'.

Features are displayed on the Past land use map on **page 15 >**

ID	Location	Land use	Dates present	Group ID
1	**On site**	**Railway Sidings**	**1892**	**804629**

ID	Location	Land use	Dates present	Group ID
A	**On site**	**Unspecified Quarry**	**1951 - 1969**	**718211**
B	**On site**	**Unspecified Quarries**	**1892**	**783109**
A	3m SE	Sandstone Quarry	1847	668060
2	3m S	Unspecified Heap	1910	687810
B	3m SE	Unspecified Quarries	1932	756682
C	6m NE	Tunnel	1932	718350
C	6m NE	Tunnel	1910	801313
C	7m NE	Tunnel	1969	744613
C	7m NE	Tunnel	1847	723993
A	10m E	Railway Sidings	1932	761608
A	11m E	Railway Sidings	1910	774891
C	18m NE	Smithies	1847	669880
C	19m NE	Tunnel	1951	705076
B	24m NE	Unspecified Quarry	1951	754599
B	28m NE	Unspecified Quarry	1910	787891
D	32m NW	Railway Sidings	1932	758661
E	33m NW	Railway Sidings	1910	733008
F	36m S	Unspecified Quarry	1910	753945
3	77m NW	Pipe	1847	701107
A	79m E	Unspecified Heaps	1910	684688
F	89m SE	Unspecified Pit	1910	676883
G	92m NW	Refuse Heap	1969	656862
G	107m NW	Unspecified Quarry	1847	686371
G	114m N	Unspecified Pit	1892 - 1932	750787
A	116m E	Unspecified Heap	1910	689269
A	120m E	Unspecified Quarry	1910	742541
H	125m SE	Tan Yard	1910	785741
H	126m SE	Unspecified Heap	1951 - 1994	725090

ID	Location	Land use	Dates present	Group ID
4	128m W	Pipe	1847	701111
5	152m SE	Tan Yard	1892 - 1932	798789
I	153m E	Tan Yard	1847	790353
I	155m E	Tan Yard	1951	738395
A	155m E	Chimney	1969	702107
6	177m N	Pipe	1847	701109
E	196m NW	Unspecified Ground Workings	1910 - 1932	716639
E	198m NW	Unspecified Heaps	1951	684689
I	200m E	Unspecified Heap	1932	689268
E	216m NW	Unspecified Ground Workings	1892	781685
E	218m NW	Unspecified Quarry	1969	686370
B	219m NE	Smithy	1892	680357
E	238m NW	Refuse Heap	1847	656861
B	241m NE	Unspecified Tank	1994	698390
B	249m NE	Smithy	1847	680355
K	259m NE	Unspecified Ground Workings	1910	662198
L	275m N	Unspecified Quarry	1932 - 1951	722801
K	275m NE	Unspecified Heap	1951	716533
M	276m N	Unspecified Quarry	1910	796167
L	287m N	Unspecified Quarry	1892	765783
8	288m NE	Unspecified Disused Quarry	1969	684158
9	307m NE	Valve Houses	1910	672520
10	315m E	Unspecified Pit	1932 - 1951	747669
11	319m NE	Unspecified Heap	1969	741391
D	320m NW	Unspecified Ground Workings	1969	662201
D	321m NW	Unspecified Pit	1994	676885
L	325m N	Unspecified Disused Quarry	1969 - 1994	793752
L	326m N	Unspecified Heap	1910	689271

ID	Location	Land use	Dates present	Group ID
M	338m N	Smithy	1892	680356
L	373m N	Unspecified Heap	1910	689272
12	394m NW	Pipe	1847	701108
N	405m W	Unspecified Works	1969 - 1994	732378
N	405m W	Unspecified Mill	1951	773177
N	408m W	Cotton Mill	1910	711754
N	408m W	Cotton Mill	1932	769809
N	408m W	Unspecified Mill	1892	780083
O	409m W	Unspecified Heap	1892	689273
O	409m W	Railway Sidings	1951	758156
P	417m NW	Unspecified Tank	1951	698388
P	417m NW	Unspecified Tank	1932	698387
O	437m W	Gasometer	1910	659080
13	446m E	Unspecified Heaps	1932	738581
14	478m NE	Unspecified Quarry	1892	783912
15	487m NW	Unspecified Pit	1932 - 1951	764300
17	497m NE	Unspecified Quarry	1910	782844

This data is sourced from Ordnance Survey® / Groundsure.

1.2 Historical tanks

Records within 500m **4**

Tank features digitised from historical Ordnance Survey® mapping at high-detail 1:1,250 and 1:2,500 scale, intelligently grouped into contiguous features. To prevent misrepresentation of the size of historical features at any given time, features are only grouped if they have similar geometries within immediately preceding or succeeding map editions. See section 2 for a breakdown of grouping if required. Grouped and the original un-grouped features can be cross-referenced across sections 1 and 2 using the 'Group ID'.

Features are displayed on the Past land use map on **page 15 >**

ID	Location	Land use	Dates present	Group ID
B	232m NE	Unspecified Tank	1990	103577

ID	Location	Land use	Dates present	Group ID
B	234m NE	Unspecified Tank	1991	93030
B	234m NE	Unspecified Tank	1994	92345
B	235m NE	Unspecified Tank	1999	91582

This data is sourced from Ordnance Survey® / Groundsure.

1.3 Historical energy features

Records within 500m	**5**

Energy features digitised from historical Ordnance Survey® mapping at high-detail 1:1,250 and 1:2,500 scale, intelligently grouped into contiguous features. To prevent misrepresentation of the size of historical features at any given time, features are only grouped if they have similar geometries within immediately preceding or succeeding map editions. See section 2 for a breakdown of grouping if required. Grouped and the original un-grouped features can be cross-referenced across sections 1 and 2 using the 'Group ID'.

Features are displayed on the Past land use map on **page 15 >**

ID	Location	Land use	Dates present	Group ID
J	203m W	Electricity Substation	1995 - 1999	58991
J	205m W	Electricity Substation	1981 - 1992	50884
7	232m SW	Electricity Substation	1961 - 1999	63565
B	284m NE	Electricity Substation	1967 - 1994	56456
16	492m SW	Electricity Substation	1961 - 1999	51378

This data is sourced from Ordnance Survey® / Groundsure.

1.4 Historical petrol stations

Records within 500m	**0**

Petrol stations digitised from historical Ordnance Survey® mapping at high-detail 1:1,250 and 1:2,500 scale, intelligently grouped into contiguous features. To prevent misrepresentation of the size of historical features at any given time, features are only grouped if they have similar geometries within immediately preceding or succeeding map editions. See section 2 for a breakdown of grouping if required. Grouped and the original un-grouped features can be cross-referenced across sections 1 and 2 using the 'Group ID'.

This data is sourced from Ordnance Survey® / Groundsure.

1.5 Historical garages

Records within 500m	0

Garages digitised from historical Ordnance Survey® mapping at high-detail 1:1,250 and 1:2,500 scale, intelligently grouped into contiguous features. To prevent misrepresentation of the size of historical features at any given time, features are only grouped if they have similar geometries within immediately preceding or succeeding map editions. See section 2 for a breakdown of grouping if required. Grouped and the original un-grouped features can be cross-referenced across sections 1 and 2 using the 'Group ID'.

This data is sourced from Ordnance Survey® / Groundsure.


1.6 Historical military land

Records within 500m	0

Areas of military land digitised from multiple sources including the National Archives, local records, MOD records and verified other sources, intelligently grouped into contiguous features.

This data is sourced from Ordnance Survey® / Groundsure / other sources.

2 Past land use - un-grouped



Site Outline

Search buffers in metres (m)

Historical industrial land uses

Historical tanks

Historical energy features

2.1 Historical industrial land uses

Records within 500m	90

Potentially contaminative land use features digitised from historical Ordnance Survey® mapping at 1:10,000 and 10,560 scale. Any records shown are available intelligently grouped in section 1. Grouped and the original un-grouped features can be cross-referenced across sections 1 and 2 using the 'Group ID'.

Features are displayed on the Past land use - un-grouped map on **page 21 >**

ID	Location	Land Use	Date	Group ID
1	**On site**	**Railway Sidings**	**1892**	**804629**
A	**On site**	**Unspecified Quarry**	**1951**	**718211**
A	**On site**	**Unspecified Quarries**	**1892**	**783109**

ID	Location	Land Use	Date	Group ID
A	3m SE	Sandstone Quarry	1847	668060
2	3m S	Unspecified Heap	1910	687810
A	3m SE	Unspecified Quarries	1932	756682
B	6m NE	Tunnel	1932	718350
B	6m NE	Tunnel	1910	801313
B	7m NE	Tunnel	1969	744613
B	7m NE	Tunnel	1847	723993
A	10m E	Railway Sidings	1932	761608
A	11m E	Railway Sidings	1910	774891
B	18m NE	Smithies	1847	669880
B	19m NE	Tunnel	1951	705076
A	22m NE	Unspecified Quarry	1969	718211
A	24m NE	Unspecified Quarry	1951	754599
A	28m NE	Unspecified Quarry	1910	787891
C	32m NW	Railway Sidings	1932	758661
D	33m NW	Railway Sidings	1910	733008
E	36m S	Unspecified Quarry	1910	753945
E	56m S	Unspecified Quarry	1910	753945
3	77m NW	Pipe	1847	701107
A	79m E	Unspecified Heaps	1910	684688
E	89m SE	Unspecified Pit	1910	676883
F	92m NW	Refuse Heap	1969	656862
F	107m NW	Unspecified Quarry	1847	686371
F	114m N	Unspecified Pit	1932	750787
F	114m N	Unspecified Pit	1910	750787
F	114m N	Unspecified Pit	1892	750787
A	116m E	Unspecified Heap	1910	689269
A	120m E	Unspecified Quarry	1910	742541

ID	Location	Land Use	Date	Group ID
G	125m SE	Tan Yard	1910	785741
G	126m SE	Unspecified Heap	1951	725090
G	126m SE	Unspecified Heap	1969	725090
G	126m SE	Unspecified Heap	1994	725090
4	128m W	Pipe	1847	701111
H	152m SE	Tan Yard	1932	798789
H	152m SE	Tan Yard	1910	798789
H	152m SE	Tan Yard	1892	798789
I	153m E	Tan Yard	1847	790353
I	155m E	Tan Yard	1951	738395
A	155m E	Chimney	1969	702107
5	177m N	Pipe	1847	701109
D	196m NW	Unspecified Ground Workings	1932	716639
D	196m NW	Unspecified Ground Workings	1910	716639
D	198m NW	Unspecified Heaps	1951	684689
I	200m E	Unspecified Heap	1932	689268
D	216m NW	Unspecified Ground Workings	1892	781685
D	218m NW	Unspecified Quarry	1969	686370
A	219m NE	Smithy	1892	680357
D	238m NW	Refuse Heap	1847	656861
A	241m NE	Unspecified Tank	1994	698390
A	249m NE	Smithy	1847	680355
L	259m NE	Unspecified Ground Workings	1910	662198
M	275m N	Unspecified Quarry	1932	722801
L	275m NE	Unspecified Heap	1951	716533
N	276m N	Unspecified Quarry	1910	796167
O	276m NE	Unspecified Quarry	1910	787891
M	285m N	Unspecified Quarry	1951	722801

ID	Location	Land Use	Date	Group ID
M	287m N	Unspecified Quarry	1892	765783
O	288m NE	Unspecified Quarry	1951	754599
O	288m NE	Unspecified Disused Quarry	1969	684158
6	307m NE	Valve Houses	1910	672520
P	315m E	Unspecified Pit	1932	747669
7	319m NE	Unspecified Heap	1969	741391
C	320m NW	Unspecified Ground Workings	1969	662201
C	321m NW	Unspecified Pit	1994	676885
M	325m N	Unspecified Disused Quarry	1969	793752
M	325m N	Unspecified Disused Quarry	1994	793752
P	326m E	Unspecified Pit	1951	747669
M	326m N	Unspecified Heap	1910	689271
N	338m N	Smithy	1892	680356
M	373m N	Unspecified Heap	1910	689272
8	394m NW	Pipe	1847	701108
Q	405m W	Unspecified Works	1969	732378
Q	405m W	Unspecified Mill	1951	773177
Q	408m W	Cotton Mill	1932	769809
Q	408m W	Cotton Mill	1910	711754
Q	408m W	Unspecified Mill	1892	780083
R	409m W	Unspecified Heap	1892	689273
R	409m W	Railway Sidings	1951	758156
S	417m NW	Unspecified Tank	1951	698388
S	417m NW	Unspecified Tank	1932	698387
R	437m W	Gasometer	1910	659080
Q	444m W	Unspecified Works	1994	732378
9	446m E	Unspecified Heaps	1932	738581
10	478m NE	Unspecified Quarry	1892	783912

ID	Location	Land Use	Date	Group ID
T	487m NW	Unspecified Pit	1932	764300
T	493m NW	Unspecified Pit	1951	764300
11	497m NE	Unspecified Quarry	1910	782844

This data is sourced from Ordnance Survey® / Groundsure.

2.2 Historical tanks

Records within 500m	**4**

Tank features digitised from historical Ordnance Survey® mapping at high-detail 1:1,250 and 1:2,500 scale. Any records shown are available intelligently grouped in section 1. Grouped and the original un-grouped features can be cross-referenced across sections 1 and 2 using the 'Group ID'.

Features are displayed on the Past land use - un-grouped map on **page 21 >**

ID	Location	Land Use	Date	Group ID
A	232m NE	Unspecified Tank	1990	103577
A	234m NE	Unspecified Tank	1991	93030
A	234m NE	Unspecified Tank	1994	92345
A	235m NE	Unspecified Tank	1999	91582

This data is sourced from Ordnance Survey® / Groundsure.

2.3 Historical energy features

Records within 500m	**29**

Energy features digitised from historical Ordnance Survey® mapping at high-detail 1:1,250 and 1:2,500 scale. Any records shown are available intelligently grouped in section 1. Grouped and the original un-grouped features can be cross-referenced across sections 1 and 2 using the 'Group ID'.

Features are displayed on the Past land use - un-grouped map on **page 21 >**

ID	Location	Land Use	Date	Group ID
J	203m W	Electricity Substation	1996	58991
J	203m W	Electricity Substation	1995	58991
J	203m W	Electricity Substation	1999	58991
J	203m W	Electricity Substation	1998	58991

ID	Location	Land Use	Date	Group ID
J	205m W	Electricity Substation	1981	50884
J	205m W	Electricity Substation	1992	50884
J	205m W	Electricity Substation	1988	50884
K	232m SW	Electricity Substation	1975	63565
K	232m SW	Electricity Substation	1967	63565
K	233m SW	Electricity Substation	1996	63565
K	233m SW	Electricity Substation	1995	63565
K	233m SW	Electricity Substation	1999	63565
K	233m SW	Electricity Substation	1998	63565
K	233m SW	Electricity Substation	1981	63565
K	233m SW	Electricity Substation	1992	63565
K	233m SW	Electricity Substation	1988	63565
K	233m SW	Electricity Substation	1961	63565
A	284m NE	Electricity Substation	1994	56456
A	285m NE	Electricity Substation	1967	56456
U	492m SW	Electricity Substation	1981	51378
U	492m SW	Electricity Substation	1992	51378
U	492m SW	Electricity Substation	1988	51378
U	492m SW	Electricity Substation	1961	51378
U	493m SW	Electricity Substation	1975	51378
U	493m SW	Electricity Substation	1967	51378
U	494m SW	Electricity Substation	1996	51378
U	494m SW	Electricity Substation	1995	51378
U	494m SW	Electricity Substation	1999	51378
U	494m SW	Electricity Substation	1998	51378

This data is sourced from Ordnance Survey® / Groundsure.

2.4 Historical petrol stations

Records within 500m	0

Petrol stations digitised from historical Ordnance Survey® mapping at high-detail 1:1,250 and 1:2,500 scale. Any records shown are available intelligently grouped in section 1. Grouped and the original un-grouped features can be cross-referenced across sections 1 and 2 using the 'Group ID'.

This data is sourced from Ordnance Survey® / Groundsure.

2.5 Historical garages

Records within 500m	0

Garages digitised from historical Ordnance Survey® mapping at high-detail 1:1,250 and 1:2,500 scale. Any records shown are available intelligently grouped in section 1. Grouped and the original un-grouped features can be cross-referenced across sections 1 and 2 using the 'Group ID'.

This data is sourced from Ordnance Survey® / Groundsure.

3 Waste and landfill



Site Outline

Search buffers in metres (m)

Active or recent landfill

Historical landfill (EA/NRW)

Licensed waste sites

Waste exemptions

3.1 Active or recent landfill

Records within 500m	1

Active or recently closed landfill sites under Environment Agency/Natural Resources Wales regulation.

Features are displayed on the Waste and landfill map on **page 28 >**

ID	Location	Details	
3	273m N	Operator: William Pye Limited Site Address: William Pye Limited, Lords Delph Quarry, Shay Lane, Longridge, Preston, PR3 3BT	WML Number: 54034 EPR Reference: 647843 Landfill type: A05: Landfill taking Non-Biodegradeable Wastes Status: Issued IPPC Reference: - EPR Number: EA/EPR/FP3291CL

This data is sourced from the Environment Agency and Natural Resources Wales.

3.2 Historical landfill (BGS records)

Records within 500m	0

Landfill sites identified on a survey carried out on behalf of the DoE in 1973. These sites may have been closed or operational at this time.

This data is sourced from the British Geological Survey.

3.3 Historical landfill (LA/mapping records)

Records within 500m	0

Landfill sites identified from Local Authority records and high detail historical mapping.

This data is sourced from the Ordnance Survey®/Groundsure and Local Authority records.

3.4 Historical landfill (EA/NRW records)

Records within 500m	2

Known historical (closed) landfill sites (e.g. sites where there is no PPC permit or waste management licence currently in force). This includes sites that existed before the waste licensing regime and sites that have been licensed in the past but where a licence has been revoked, ceased to exist or surrendered and a certificate of completion has been issued.

Features are displayed on the Waste and landfill map on **page 28 >**

ID	Location	Details		
1	121m SE	Site Address: Tan Yard, Old Tan Lane, Longridge, Preston, Lancashire Licence Holder Address: -	Waste Licence: - Site Reference: K1/03/024 Waste Type: Waste Unknown Environmental Permitting Regulations (Waste) Reference: - Licence Issue: - Licence Surrender: -	Operator: - Licence Holder: - First Recorded - Last Recorded: -
2	172m E	Site Address: Hollins Hall Farm, Tan Yard Lane, Longridge, Near Preston, Lancashire Licence Holder Address: Blackpool Road, Preston	Waste Licence: Yes Site Reference: WD100/270, L1/03/270, K1/03/008, Licence No 208 Waste Type: Inert, Household Environmental Permitting Regulations (Waste) Reference: - Licence Issue: 06/11/1984 Licence Surrender: 31/03/1993	Operator: - Licence Holder: Crofts (Longridge) Limited First Recorded 01/11/1984 Last Recorded: 01/03/1993

This data is sourced from the Environment Agency and Natural Resources Wales.

3.5 Historical waste sites

Records within 500m	0

Waste site records derived from high detail historical mapping and additional records held by Groundsure.

This data is sourced from Ordnance Survey®/Groundsure.

3.6 Licensed waste sites

Records within 500m	2

Active or recently closed waste sites under Environment Agency/Natural Resources Wales regulation.

Features are displayed on the Waste and landfill map on **page 28 >**

ID	Location	Details		
B	320m N	Site Name: Lords Delph Quarry Site Address: Lords Delph Quarry, Shay Lane, Longridge, Preston, PR3 3BT Correspondence Address: -	Type of Site: Landfill taking Non-Biodegradeable Wastes Size: 25000 tonnes Environmental Permitting Regulations (Waste) Licence Number: 669794 EPR reference: EA/EPR/FP3291CL Operator: William Pye Limited Waste Management licence No: 54034 Annual Tonnage: 17000	Issue Date: 02/06/1989 Effective Date: 02/06/1989 Modified: 02/06/1989 Surrendered Date: - Expiry Date: - Cancelled Date: - Status: Issued
B	320m N	Site Name: Lords Delph Site Address: Land/premises At, Forty Acre Lane, Longridge, Preston, Lancashire, PR3 2TY Correspondence Address: -	Type of Site: Landfill taking Non-Biodegradeable Wastes Size: 25000 tonnes Environmental Permitting Regulations (Waste) Licence Number: WIL001 EPR reference: EA/EPR/FP3291CL/A001 Operator: William Pye Ltd Waste Management licence No: 54034 Annual Tonnage: 17000	Issue Date: 02/06/1989 Effective Date: - Modified: - Surrendered Date: - Expiry Date: - Cancelled Date: - Status: Issued

This data is sourced from the Environment Agency and Natural Resources Wales.

3.7 Waste exemptions

Records within 500m	9


Activities involving the storage, treatment, use or disposal of waste that are exempt from needing a permit. Exemptions have specific limits and conditions that must be adhered to.

Features are displayed on the Waste and landfill map on **page 28 >**

ID	Location	Site	Reference	Category	Sub-Category	Description
A	20m NE	110, Higher Road, Longridge, Preston, Pr3 2tf	WEX157327	Using waste exemption	Not on a farm	Burning of waste as a fuel in a small appliance
A	20m NE	110, Higher Road, Longridge, Preston, Pr3 2tf	WEX157327	Disposing of waste exemption	Not on a farm	Burning waste at a port under a Plant Health notice
C	469m N	Billingtons Farm, Mile Lane, Longridge, Preston, Pr3 2ta	WEX174902	Disposing of waste exemption	On a farm	Deposit of waste from dredging of inland waters
C	469m N	Billingtons Farm, Mile Lane, Longridge, Preston, Pr3 2ta	WEX174902	Disposing of waste exemption	On a farm	Burning waste in the open
C	488m N	Billingtons Farm Mile Lane Preston Pr3 2ta	EPR/CE5359QK/A001	Using waste exemption	Agricultural waste only	Use of waste in construction
C	488m N	Billingtons Farm Mile Lane Preston Pr3 2ta	EPR/CE5359QK/A001	Disposing of waste exemption	Agricultural waste only	Deposit of agricultural waste consisting of plant tissue under a Plant Health notice
C	488m N	Billingtons Farm Mile Lane Preston Pr3 2ta	EPR/CE5359QK/A001	Disposing of waste exemption	Agricultural waste only	Burning waste in the open
C	498m N	Billingtons Farm, Mile Lane, Longridge, Preston, Pr3 2ta	WEX016927	Disposing of waste exemption	On a farm	Burning waste in the open
C	498m N	Billingtons Farm, Mile Lane, Longridge, Preston, Pr3 2ta	WEX016927	Disposing of waste exemption	On a farm	Deposit of waste from dredging of inland waters

This data is sourced from the Environment Agency and Natural Resources Wales.

4 Current industrial land use



Site Outline

Search buffers in metres (m)

Recent industrial land uses

NGD current or recent tanks

Licensed Discharges to controlled waters

Pollution Incidents (EA/NRW)

4.1 Recent industrial land uses

Records within 250m	2

Current potentially contaminative industrial sites.

Features are displayed on the Current industrial land use map on **page 32 >**

ID	Location	Company	Address	Activity	Category
1	201m W	Electricity Sub Station	Lancashire, PR3	Electrical Features	Infrastructure and Facilities
2	228m SW	Electricity Sub Station	Lancashire, PR3	Electrical Features	Infrastructure and Facilities

This data is sourced from Ordnance Survey®.

4.2 National Geographic Database (NGD) - Current or recent tanks

Records within 250m	1

Current or recent tanks identified from the Ordnance Survey® NGD.

Features are displayed on the Current industrial land use map on **page 32 >**

ID	Location	Tank description	Activity	Date first identified
3	233m NE	Roofed Storage Tank	Commercial Activity: Distribution Or Storage	14/04/1994

This data is sourced from Ordnance Survey®.

4.3 Current or recent petrol stations

Records within 500m	0

Open, closed, under development and obsolete petrol stations.

This data is sourced from Experian.

4.4 Sites determined as Contaminated Land

Records within 500m	0

Contaminated Land Register of sites designated under Part 2a of the Environmental Protection Act 1990.

This data is sourced from Local Authority records.

4.5 Control of Major Accident Hazards (COMAH)

Records within 500m	0

Control of Major Accident Hazards (COMAH) sites. This data includes upper and lower tier sites, and includes a historical archive of COMAH sites and Notification of Installations Handling Hazardous Substances (NIHHS) records.

This data is sourced from the Health and Safety Executive.

4.6 Regulated explosive sites

Records within 500m	0

Sites registered and licensed by the Health and Safety Executive under the Manufacture and Storage of Explosives Regulations 2005 (MSER). The last update to this data was in April 2011.

This data is sourced from the Health and Safety Executive.

4.7 Hazardous substance storage/usage

Records within 500m	0

Consents granted for a site to hold certain quantities of hazardous substances at or above defined limits in accordance with the Planning (Hazardous Substances) Regulations 2015.

This data is sourced from Local Authority records.

4.8 Historical licensed industrial activities (IPC)

Records within 500m	0

Integrated Pollution Control (IPC) records of substance releases to air, land and water. This data represents a historical archive as the IPC regime has been superseded.

This data is sourced from the Environment Agency and Natural Resources Wales.

4.9 Licensed industrial activities (Part A(1))

Records within 500m	0

Records of Part A(1) installations regulated under the Environmental Permitting (England and Wales) Regulations 2016 for the release of substances to the environment.

This data is sourced from the Environment Agency and Natural Resources Wales.

4.10 Licensed pollutant release (Part A(2)/B)

Records within 500m	0

Records of Part A(2) and Part B installations regulated under the Environmental Permitting (England and Wales) Regulations 2016 for the release of substances to the environment.

This data is sourced from Local Authority records.

4.11 Radioactive Substance Authorisations

Records within 500m	0

Records of the storage, use, accumulation and disposal of radioactive substances regulated under the Radioactive Substances Act 1993.

This data is sourced from the Environment Agency and Natural Resources Wales.

4.12 Licensed Discharges to controlled waters

Records within 500m	3

Discharges of treated or untreated effluent to controlled waters under the Water Resources Act 1991.

Features are displayed on the Current industrial land use map on **page 32 >**

ID	Location	Address	Details	
5	395m NE	DILWORTH WTP, DILWORTH, LONGRIDGE, PRESTON, LANCASHIRE	Effluent Type: TRADE DISCHARGES - PROCESS EFFLUENT - WATER COMPANY (WTW) Permit Number: 017160050 Permit Version: 1 Receiving Water: HIGGIN BROOK	Status: SURRENDERED UNDER EPR 2010 Issue date: - Effective Date: 19/10/1979 Revocation Date: 30/04/2018
A	406m NW	DILWORTH WTP, DILWORTH, LONGRIDGE, PRESTON, LANCASHIRE	Effluent Type: TRADE DISCHARGES - PROCESS EFFLUENT - WATER COMPANY (WTW) Permit Number: 017190879 Permit Version: 2 Receiving Water: HIGGIN BROOK, TRIB RIVER LOUD	Status: SURRENDERED UNDER EPR 2010 Issue date: 15/05/2008 Effective Date: 15/05/2008 Revocation Date: 30/04/2018
A	406m NW	DILWORTH WTP, DILWORTH, LONGRIDGE, PRESTON, LANCASHIRE	Effluent Type: TRADE DISCHARGES - PROCESS EFFLUENT - WATER COMPANY (WTW) Permit Number: 017190879 Permit Version: 1 Receiving Water: HIGGIN BROOK, TRIB RIVER LOUD	Status: MODIFIED - (WRA 91 SCHED 10 - AS AMENDED BY ENV ACT 1995) Issue date: 15/08/2005 Effective Date: 15/08/2005 Revocation Date: 14/05/2008

This data is sourced from the Environment Agency and Natural Resources Wales.

4.13 Pollutant release to surface waters (Red List)

Records within 500m	0

Discharges of specified substances under the Environmental Protection (Prescribed Processes and Substances) Regulations 1991.

This data is sourced from the Environment Agency and Natural Resources Wales.

4.14 Pollutant release to public sewer

Records within 500m	0

Discharges of Special Category Effluents to the public sewer.

This data is sourced from the Environment Agency and Natural Resources Wales.

4.15 List 1 Dangerous Substances

Records within 500m	0

Discharges of substances identified on List I of European Directive E 2006/11/EC, and regulated under the Environmental Damage (Prevention and Remediation) Regulations 2015.

This data is sourced from the Environment Agency and Natural Resources Wales.

4.16 List 2 Dangerous Substances

Records within 500m	0

Discharges of substances identified on List II of European Directive E 2006/11/EC, and regulated under the Environmental Damage (Prevention and Remediation) Regulations 2015.

This data is sourced from the Environment Agency and Natural Resources Wales.

4.17 Pollution Incidents (EA/NRW)

Records within 500m	1

Records of substantiated pollution incidents. Since 2006 this data has only included category 1 (major) and 2 (significant) pollution incidents.

Features are displayed on the Current industrial land use map on **page 32 >**

ID	Location	Details	
4	321m NE	Incident Date: 27/07/2023 Incident Identification: 2174592 Pollutant: Agricultural Materials and Wastes Pollutant Description: Slurry and Dilute Slurry	Water Impact: Category 2 (Significant) Land Impact: Category 4 (No Impact) Air Impact: Category 4 (No Impact)

This data is sourced from the Environment Agency and Natural Resources Wales.

4.18 Pollution inventory substances

Records within 500m	0

The pollution inventory (substances) includes reporting on annual emissions of certain regulated substances to air, controlled waters and land. A reporting threshold for each substance is also included. Where emissions fall below the reporting threshold, no value will be given. The data is given for the most recent complete year available.

This data is sourced from the Environment Agency and the Scottish Environment Protection Agency.

4.19 Pollution inventory waste transfers

Records within 500m	0

The pollution inventory (waste transfers) includes reporting on annual transfers and recovery/disposal of controlled wastes from a site. A reporting threshold for each waste type is also included. Where releases fall below the reporting threshold, no value will be given. The data is given for the most recent complete year available.

This data is sourced from the Environment Agency and the Scottish Environment Protection Agency.


4.20 Pollution inventory radioactive waste

Records within 500m	0

The pollution inventory (radioactive wastes) includes reporting on annual releases of radioactive substances from a site, including the means of release. Where releases fall below the reporting threshold, no value will be given. The data is given for the most recent complete year available.

This data is sourced from the Environment Agency and the Scottish Environment Protection Agency.

5 Hydrogeology - Superficial aquifer



Site Outline

Search buffers in metres (m)

- Principal
- Secondary A
- Secondary B
- Secondary Undifferentiated
- Unproductive
- Unknown

5.1 Superficial aquifer

Records within 500m	1


Aquifer status of groundwater held within superficial geology.

Features are displayed on the Hydrogeology map on **page 38 >**

ID	Location	Designation	Description
1	42m NW	Secondary Undifferentiated	Assigned where it is not possible to attribute either category A or B to a rock type. In general these layers have previously been designated as both minor and non-aquifer in different locations due to the variable characteristics of the rock type

This data is sourced from the British Geological Survey, the Environment Agency and Natural Resources Wales.

Bedrock aquifer



5.2 Bedrock aquifer

Records within 500m	2


Aquifer status of groundwater held within bedrock geology.

Features are displayed on the Bedrock aquifer map on **page 39 >**

ID	Location	Designation	Description
1	**On site**	**Secondary A**	**Permeable layers capable of supporting water supplies at a local rather than strategic scale, and in some cases forming an important source of base flow to rivers. These are generally aquifers formerly classified as minor aquifers**
2	472m NW	Secondary (undifferentiated)	Assigned where it is not possible to attribute either category A or B to a rock type. In general these layers have previously been designated as both minor and non-aquifer in different locations due to the variable characteristics of the rock type

This data is sourced from the British Geological Survey, the Environment Agency and Natural Resources Wales.

Groundwater vulnerability



Site Outline

Search buffers in metres (m)

Superficial vulnerability

- Principal superficial aquifer, high vulnerability
- Secondary superficial aquifer, high vulnerability
- Principal superficial aquifer, medium vulnerability
- Secondary superficial aquifer, medium vulnerability
- Principal superficial aquifer, low vulnerability
- Secondary superficial aquifer, low vulnerability

Bedrock vulnerability

- Principal bedrock aquifer, high vulnerability
- Secondary bedrock aquifer, high vulnerability
- Principal bedrock aquifer, medium vulnerability
- Secondary bedrock aquifer, medium vulnerability
- Principal bedrock aquifer, low vulnerability
- Secondary bedrock aquifer, low vulnerability

Other information

- Unproductive aquifer
- Soluble rock risk
- Local information

5.3 Groundwater vulnerability

Records within 50m	2

An assessment of the vulnerability of groundwater to a pollutant discharged at ground level based on the hydrological, geological, hydrogeological and soil properties within a one kilometre square grid. Groundwater vulnerability is described as High, Medium or Low as follows:

- High - Areas able to easily transmit pollution to groundwater. They are likely to be characterised by high leaching soils and the absence of low permeability superficial deposits.
- Medium - Intermediate between high and low vulnerability.
- Low - Areas that provide the greatest protection from pollution. They are likely to be characterised by low leaching soils and/or the presence of superficial deposits characterised by a low permeability.

Features are displayed on the Groundwater vulnerability map on **page 41 >**

ID	Location	Summary	Soil / surface	Superficial geology	Bedrock geology
1	**On site**	**Summary Classification: Secondary bedrock aquifer - Medium Vulnerability Combined classification: Productive Bedrock Aquifer, No Superficial Aquifer**	**Leaching class: Low Infiltration value: <40% Dilution value: >550mm/year**	**Vulnerability: - Aquifer type: - Thickness: <3m Patchiness value: <90% Recharge potential: High**	**Vulnerability: Medium Aquifer type: Secondary Flow mechanism: Well connected fractures**
2	42m NW	Summary Classification: Secondary bedrock aquifer - Medium Vulnerability Combined classification: Productive Bedrock Aquifer, Productive Superficial Aquifer	Leaching class: Low Infiltration value: <40% Dilution value: >550mm/year	Vulnerability: Low Aquifer type: Secondary Thickness: <3m Patchiness value: <90% Recharge potential: High	Vulnerability: Medium Aquifer type: Secondary Flow mechanism: Well connected fractures

This data is sourced from the British Geological Survey, the Environment Agency and Natural Resources Wales.

5.4 Groundwater vulnerability- soluble rock risk

Records on site	**0**

This dataset identifies areas where solution features that enable rapid movement of a pollutant may be present within a 1km grid square.

This data is sourced from the British Geological Survey and the Environment Agency.

5.5 Groundwater vulnerability- local information

Records on site	**0**

This dataset identifies areas where additional local information affecting vulnerability is held by the Environment Agency. Further information can be obtained by contacting the Environment Agency local Area groundwater team through the Environment Agency National Customer Call Centre on 03798 506 506 or by email on enquiries@environment-agency.gov.uk ↗.

This data is sourced from the British Geological Survey and the Environment Agency.

Abstractions and Source Protection Zones



Site Outline

Search buffers in metres (m)

- Source Protection Zone 1 — Inner catchment
- Source Protection Zone 2 — Outer catchment
- Source Protection Zone 3 — Total catchment
- Source Protection Zone 4 — Zone of Special Interest
- Source Protection Zone 1c — Inner catchment - confined aquifer
- Source Protection Zone 2c — Outer catchment - confined aquifer
- Source Protection Zone 3c — Total catchment - confined aquifer
- Drinking water abstraction licences
- Drinking water abstraction licences — Polygon features
- Drinking water abstraction licences — Linear features
- Groundwater abstraction licence (point)
- Groundwater abstraction licence (area)
- Groundwater abstraction licence (linear)
- Surface Water Abstractions (point)
- Surface Water Abstractions (area)
- Surface Water Abstractions (linear)

5.6 Groundwater abstractions

Records within 2000m	6

Licensed groundwater abstractions for sites extracting more than 20 cubic metres of water a day and includes active and historical records. The data may be for a single abstraction point, between two points (line data) or a larger area.

Features are displayed on the Abstractions and Source Protection Zones map on **page 43 >**

ID	Location	Details	
-	1245m SW	Status: Active Licence No: NW/071/0348/002 Details: General Use Relating To Secondary Category (Medium Loss) Direct Source: Ground Water - North West Region Point: MILL FARM BOREHOLE Data Type: Point Name: SINGLETONS DAIRY LTD Easting: 360176 Northing: 436984	Annual Volume (m^3): 31840 Max Daily Volume (m^3): 88 Original Application No: NPS/WR/013109 Original Start Date: 27/06/2013 Expiry Date: 31/03/2028 Issue No: 1 Version Start Date: 27/06/2013 Version End Date: -
-	1281m SW	Status: Historical Licence No: 2671348013 Details: General use relating to Secondary Category (Medium Loss) Direct Source: Ground Water - North West Region Point: BOREHOLE AT MILL FARM,PRESTON ROAD, LONGRIDGE Data Type: Point Name: SINGLETONS DAIRY LTD Easting: 360200 Northing: 436900	Annual Volume (m^3): - Max Daily Volume (m^3): - Original Application No: - Original Start Date: 15/08/1989 Expiry Date: - Issue No: 100 Version Start Date: 15/08/1989 Version End Date: -
-	1805m NE	Status: Active Licence No: 2671317011 Details: Drinking, Cooking, Sanitary, Washing, (Small Garden) - Commercial/Industrial/Public Services Direct Source: Ground Water - North West Region Point: BOREHOLE AT LONGRIDGE GOLF CLUB, PRESTON Data Type: Point Name: LONGRIDGE GOLF CLUB & PRESTON Easting: 362510 Northing: 439000	Annual Volume (m^3): 1920 Max Daily Volume (m^3): 29.55 Original Application No: 7237 Original Start Date: 10/04/1997 Expiry Date: - Issue No: 100 Version Start Date: 01/04/2008 Version End Date: -
-	1805m NE	Status: Active Licence No: 2671317011 Details: Spray Irrigation - Direct Direct Source: Ground Water - North West Region Point: BOREHOLE AT LONGRIDGE GOLF CLUB, PRESTON Data Type: Point Name: LONGRIDGE GOLF CLUB & PRESTON Easting: 362510 Northing: 439000	Annual Volume (m^3): 1920 Max Daily Volume (m^3): 29.55 Original Application No: 7237 Original Start Date: 10/04/1997 Expiry Date: - Issue No: 100 Version Start Date: 01/04/2008 Version End Date: -

ID	Location	Details	
-	1805m NE	Status: Historical Licence No: 2671317011 Details: Spray Irrigation - Direct Direct Source: Ground Water - North West Region Point: "BOREHOLE AT LONGRIDGE GOLF CLUB, PRESTON" Data Type: Point Name: LONGRIDGE GOLF CLUB & PRESTON Easting: 362510 Northing: 439000	Annual Volume (m^3): - Max Daily Volume (m^3): - Original Application No: - Original Start Date: 10/04/1997 Expiry Date: - Issue No: 100 Version Start Date: 10/04/1997 Version End Date: -
-	1805m NE	Status: Historical Licence No: 2671317011 Details: "Drinking, Cooking, Sanitary, Washing, (Small Garden) - Commercial/Industrial/Public Services" Direct Source: Ground Water - North West Region Point: "BOREHOLE AT LONGRIDGE GOLF CLUB, PRESTON" Data Type: Point Name: LONGRIDGE GOLF CLUB & PRESTON Easting: 362510 Northing: 439000	Annual Volume (m^3): - Max Daily Volume (m^3): - Original Application No: - Original Start Date: 10/04/1997 Expiry Date: - Issue No: 100 Version Start Date: 10/04/1997 Version End Date: -

This data is sourced from the Environment Agency and Natural Resources Wales.

5.7 Surface water abstractions

Records within 2000m	**4**

Licensed surface water abstractions for sites extracting more than 20 cubic metres of water a day and includes active and historical records. The data may be for a single abstraction point, a stretch of watercourse or a larger area.

Features are displayed on the Abstractions and Source Protection Zones map on **page 43 >**

ID	Location	Details	
-	1939m NE	Status: Active Licence No: 2671338011 Details: Drinking, Cooking, Sanitary, Washing, (Small Garden) - Commercial/Industrial/Public Services Direct Source: Surface, Non-Tidal - North West Region Point: CULVERT ON LAND AT LONGRIDGE GOLF CLUB, JEFFREY HILL Data Type: Point Name: LONGRIDGE GOLF CLUB & PRESTON Easting: 362600 Northing: 439100	Annual Volume (m^3): 7364.53 Max Daily Volume (m^3): 20.46 Original Application No: 4475 Original Start Date: 10/10/1966 Expiry Date: - Issue No: 101 Version Start Date: 01/04/2008 Version End Date: -

ID	Location	Details	
-	1939m NE	Status: Active Licence No: 2671338011 Details: Spray Irrigation - Direct Direct Source: Surface, Non-Tidal - North West Region Point: CULVERT ON LAND AT LONGRIDGE GOLF CLUB, JEFFREY HILL Data Type: Point Name: LONGRIDGE GOLF CLUB & PRESTON Easting: 362600 Northing: 439100	Annual Volume (m^3): 7364.53 Max Daily Volume (m^3): 20.46 Original Application No: 4475 Original Start Date: 10/10/1966 Expiry Date: - Issue No: 101 Version Start Date: 01/04/2008 Version End Date: -
-	1939m NE	Status: Historical Licence No: 2671338011 Details: Spray Irrigation - Direct Direct Source: "Surface, Non-Tidal - North West Region" Point: "CULVERT ON LAND AT LONGRIDGE GOLF CLUB, JEFFREY HILL" Data Type: Point Name: LONGRIDGE GOLF CLUB & PRESTON Easting: 362600 Northing: 439100	Annual Volume (m^3): - Max Daily Volume (m^3): - Original Application No: - Original Start Date: 10/10/1966 Expiry Date: - Issue No: 101 Version Start Date: 18/05/2001 Version End Date: -
-	1939m NE	Status: Historical Licence No: 2671338011 Details: "Drinking, Cooking, Sanitary, Washing, (Small Garden) - Commercial/Industrial/Public Services" Direct Source: "Surface, Non-Tidal - North West Region" Point: "CULVERT ON LAND AT LONGRIDGE GOLF CLUB, JEFFREY HILL" Data Type: Point Name: LONGRIDGE GOLF CLUB & PRESTON Easting: 362600 Northing: 439100	Annual Volume (m^3): - Max Daily Volume (m^3): - Original Application No: - Original Start Date: 10/10/1966 Expiry Date: - Issue No: 101 Version Start Date: 18/05/2001 Version End Date: -

This data is sourced from the Environment Agency and Natural Resources Wales.

5.8 Potable abstractions

Records within 2000m	**4**

Licensed potable water abstractions for sites extracting more than 20 cubic metres of water a day and includes active and historical records. The data may be for a single abstraction point, a stretch of watercourse or a larger area.

Features are displayed on the Abstractions and Source Protection Zones map on **page 43 >**

ID	Location	Details	
-	1805m NE	Status: Active Licence No: 2671317011 Details: Drinking, Cooking, Sanitary, Washing, (Small Garden) - Commercial/Industrial/Public Services Direct Source: Ground Water - North West Region Point: BOREHOLE AT LONGRIDGE GOLF CLUB, PRESTON Data Type: Point Name: LONGRIDGE GOLF CLUB & PRESTON Easting: 362510 Northing: 439000	Annual Volume (m^3): 1920 Max Daily Volume (m^3): 29.55 Original Application No: 7237 Original Start Date: 10/04/1997 Expiry Date: - Issue No: 100 Version Start Date: 01/04/2008 Version End Date: -
-	1805m NE	Status: Historical Licence No: 2671317011 Details: "Drinking, Cooking, Sanitary, Washing, (Small Garden) - Commercial/Industrial/Public Services" Direct Source: Ground Water - North West Region Point: "BOREHOLE AT LONGRIDGE GOLF CLUB, PRESTON" Data Type: Point Name: LONGRIDGE GOLF CLUB & PRESTON Easting: 362510 Northing: 439000	Annual Volume (m^3): - Max Daily Volume (m^3): - Original Application No: - Original Start Date: 10/04/1997 Expiry Date: - Issue No: 100 Version Start Date: 10/04/1997 Version End Date: -
-	1939m NE	Status: Active Licence No: 2671338011 Details: Drinking, Cooking, Sanitary, Washing, (Small Garden) - Commercial/Industrial/Public Services Direct Source: Surface, Non-Tidal - North West Region Point: CULVERT ON LAND AT LONGRIDGE GOLF CLUB, JEFFREY HILL Data Type: Point Name: LONGRIDGE GOLF CLUB & PRESTON Easting: 362600 Northing: 439100	Annual Volume (m^3): 7364.53 Max Daily Volume (m^3): 20.46 Original Application No: 4475 Original Start Date: 10/10/1966 Expiry Date: - Issue No: 101 Version Start Date: 01/04/2008 Version End Date: -
-	1939m NE	Status: Historical Licence No: 2671338011 Details: "Drinking, Cooking, Sanitary, Washing, (Small Garden) - Commercial/Industrial/Public Services" Direct Source: "Surface, Non-Tidal - North West Region" Point: "CULVERT ON LAND AT LONGRIDGE GOLF CLUB, JEFFREY HILL" Data Type: Point Name: LONGRIDGE GOLF CLUB & PRESTON Easting: 362600 Northing: 439100	Annual Volume (m^3): - Max Daily Volume (m^3): - Original Application No: - Original Start Date: 10/10/1966 Expiry Date: - Issue No: 101 Version Start Date: 18/05/2001 Version End Date: -

This data is sourced from the Environment Agency and Natural Resources Wales.

5.9 Source Protection Zones

Records within 500m	0

Source Protection Zones define the sensitivity of an area around a potable abstraction site to contamination.

This data is sourced from the Environment Agency and Natural Resources Wales.

5.10 Source Protection Zones (confined aquifer)

Records within 500m	0

Source Protection Zones in the confined aquifer define the sensitivity around a deep groundwater abstraction to contamination. A confined aquifer would normally be protected from contamination by overlying geology and is only considered a sensitive resource if deep excavation/drilling is taking place.

This data is sourced from the Environment Agency and Natural Resources Wales.

6 Hydrology



Site Outline

Search buffers in metres (m)

Water Network (OS NGD)

Surface water features (wider than 5m)

Surface water features (narrower than 5m)

WFD River, canal and surface water transfer water bodies

WFD Lake water bodies

WFD Transitional and coastal water bodies

WFD Surface water body catchments boundaries

WFD Groundwater body boundaries

6.1 Water Network (OS NGD)

Records within 250m	1

Detailed water network of Great Britain showing the flow and precise central course of every river, stream, lake and canal.

Features are displayed on the Hydrology map on **page 49 >**

ID	Location	Type of water feature	Ground level	Permanence	Name
B	127m N	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-

This data is sourced from the Ordnance Survey®.

6.2 Surface water features

Records within 250m	3

Covering rivers, streams and lakes (some overlap with OS NGD Water Network data in previous section) but additionally covers smaller features such as ponds. Rivers and streams narrower than 5m are represented as a single line. Lakes, ponds and rivers or streams wider than 5m are represented as polygons.

Features are displayed on the Hydrology map on **page 49 >**

This data is sourced from the Ordnance Survey®.

6.3 WFD Surface water body catchments

Records on site	2

The Water Framework Directive is an EU-led framework for the protection of inland surface waters, estuaries, coastal waters and groundwater through river basin-level management planning. In terms of surface water, these basins are broken down into smaller units known as management, operational and water body catchments.

Features are displayed on the Hydrology map on **page 49 >**

ID	Location	Type	Water body catchment	Water body ID	Operational catchment	Management catchment
1	**On site**	**River**	**Loud - Upper**	**GB112071065320**	**Hodder and Loud**	**Ribble**
2	**On site**	**River**	**Duddel Brook**	**GB112071065700**	**Big Ribble**	**Ribble**

This data is sourced from the Environment Agency and Natural Resources Wales.

6.4 WFD Surface water bodies

Records identified	2

Surface water bodies under the Directive may be rivers, lakes, estuary or coastal. To achieve the purpose of the Directive, environmental objectives have been set and are reported on for each water body. The progress towards delivery of the objectives is then reported on by the relevant competent authorities at the end of each six-year cycle. The river water body directly associated with the catchment listed in the previous section is detailed below, along with any lake, canal, coastal or artificial water body within 250m of the site. Click on the water body ID in the table to visit the EA Catchment Explorer to find out more about each water body listed.

Features are displayed on the Hydrology map on **page 49 >**

ID	Location	Type	Name	Water body ID	Overall rating	Chemical rating	Ecological rating	Year
-	1258m NW	River	Loud - Upper	GB112071065320 ↗	No longer applicable	Does not require assessment		2022
-	2187m E	River	Duddel Brook	GB112071065700 ↗	No longer applicable	Does not require assessment	Moderate	2022

This data is sourced from the Environment Agency and Natural Resources Wales.

6.5 WFD Groundwater bodies

Records on site	**1**

Groundwater bodies are also covered by the Directive and the same regime of objectives and reporting detailed in the previous section is in place. Click on the water body ID in the table to visit the EA Catchment Explorer to find out more about each groundwater body listed.

Features are displayed on the Hydrology map on **page 49 >**

ID	Location	Name	Water body ID	Overall rating	Chemical rating	Quantitative	Year
A	**On site**	**Ribble Carboniferous Aquifers**	**GB41202G103000 ↗**	**Poor**	**Poor**	**Good**	**2019**

This data is sourced from the Environment Agency and Natural Resources Wales.

7 River and coastal flooding

7.1 Risk of flooding from rivers and the sea

Records within 50m	0

The chance of flooding from rivers and/or the sea in any given year, based on cells of 50m within the Risk of Flooding from Rivers and Sea (RoFRaS)/Flood Risk Assessment Wales (FRAW) models. Each cell is allocated one of four flood risk categories, taking into account flood defences and their condition. The risk categories for RoFRaS for rivers and the sea and FRAW for rivers are; Very low (less than 1 in 1000 chance in any given year), Low (less than 1 in 100 but greater than or equal to 1 in 1000 chance), Medium (less than 1 in 30 but greater than or equal to 1 in 100 chance) or High (greater than or equal to 1 in 30 chance). The risk categories for FRAW for the sea are; Very low (less than 1 in 1000 chance in any given year), Low (less than 1 in 200 but greater than or equal to 1 in 1000 chance), Medium (less than 1 in 30 but greater than or equal to 1 in 200 chance) or High (greater than or equal to 1 in 30 chance).

This data is sourced from the Environment Agency and Natural Resources Wales.

7.2 Historical Flood Events

Records within 250m	0

Records of historic flooding from rivers, the sea, groundwater and surface water. Records began in 1946 when predecessor bodies started collecting detailed information about flooding incidents, although limited details may be included on flooding incidents prior to this date. Takes into account the presence of defences, structures, and other infrastructure where they existed at the time of flooding, and includes flood extents that may have been affected by overtopping, breaches or blockages.

This data is sourced from the Environment Agency and Natural Resources Wales.

7.3 Flood Defences

Records within 250m	0

Records of flood defences owned, managed or inspected by the Environment Agency and Natural Resources Wales. Flood defences can be structures, buildings or parts of buildings. Typically these are earth banks, stone and concrete walls, or sheet-piling that is used to prevent or control the extent of flooding.

This data is sourced from the Environment Agency and Natural Resources Wales.

7.4 Flood Storage Areas

Records within 250m	0

Areas that act as a balancing reservoir, storage basin or balancing pond to attenuate an incoming flood peak to a flow level that can be accepted by the downstream channel or to delay the timing of a flood peak so that its volume is discharged over a longer period.

This data is sourced from the Environment Agency and Natural Resources Wales.

River and coastal flooding - Flood Zones

7.5 Flood Zone 2

Records within 50m	0

Areas of land at risk of flooding, when the presence of flood defences are ignored. Covering land between Flood Zone 3 (see next section) and the extent of the flooding from rivers or the sea with a 1 in 1000 (0.1%) chance of flooding each year.

This data is sourced from the Environment Agency and Natural Resources Wales.


7.6 Flood Zone 3

Records within 50m	0

Areas of land at risk of flooding, when the presence of flood defences are ignored. Covering land with a 1 in 100 (1%) or greater chance of flooding each year from rivers or a 1 in 200 (0.5%) or greater chance of flooding each year from the sea.

This data is sourced from the Environment Agency and Natural Resources Wales.

8 Surface water flooding



Site Outline
Search buffers in metres (m)

1 in 1000 return period
- Depth between 0.1m - 0.3m
- Depth between 0.3m - 1.0m
- Depth greater than 1.0m

1 in 250 return period
- Depth between 0.1m - 0.3m
- Depth between 0.3m - 1.0m
- Depth greater than 1.0m

1 in 100 return period
- Depth between 0.1m - 0.3m
- Depth between 0.3m - 1.0m
- Depth greater than 1.0m

1 in 30 return period
- Depth between 0.1m - 0.3m
- Depth between 0.3m - 1.0m
- Depth greater than 1.0m

8.1 Surface water flooding

Highest risk on site	**Negligible**
Highest risk within 50m	**1 in 30 year, 0.3m - 1.0m**

Ambiental Risk Analytics surface water (pluvial) FloodMap identifies areas likely to flood as a result of extreme rainfall events, i.e. land naturally vulnerable to surface water ponding or flooding. This data set was produced by simulating 1 in 30 year, 1 in 100 year, 1 in 250 year and 1 in 1,000 year rainfall events. Modern urban drainage systems are typically built to cope with rainfall events between 1 in 20 and 1 in 30 years, though some older ones may flood in a 1 in 5 year rainfall event.

Features are displayed on the Surface water flooding map on **page 55 >**


The data shown on the map and in the table above shows the highest likelihood of flood events happening at the site. Lower likelihood events may have greater flood depths and hence a greater potential impact on a site.

The table below shows the maximum flood depths for a range of return periods for the site.

Return period	Maximum modelled depth
1 in 1000 year	Negligible
1 in 250 year	Negligible
1 in 100 year	Negligible
1 in 30 year	Negligible

This data is sourced from Ambiental Risk Analytics.

9 Groundwater flooding



Site Outline

Search buffers in metres (m)

High

Moderate - High

Moderate

Low

Negligible

9.1 Groundwater flooding

Highest risk on site	**Negligible**
Highest risk within 50m	**Low**

Groundwater flooding is caused by unusually high groundwater levels. It occurs when the water table rises above the ground surface or within underground structures such as basements or cellars. Groundwater flooding tends to exhibit a longer duration than surface water flooding, possibly lasting for weeks or months, and as a result it can cause significant damage to property. This risk assessment is based on a 1 in 100 year return period and a 5m Digital Terrain Model (DTM).

Features are displayed on the Groundwater flooding map on **page 57 >**

This data is sourced from Ambiental Risk Analytics.

10 Environmental designations



© Crown copyright and database rights 2026. Ordnance Survey® licence AC0000824534

Site Outline

Search buffers in metres (m)

Designated Ancient Woodland

10.1 Sites of Special Scientific Interest (SSSI)

Records within 2000m	0

Sites providing statutory protection for the best examples of UK flora, fauna, or geological or physiographical features. Originally notified under the National Parks and Access to the Countryside Act 1949, SSSIs were re-notified under the Wildlife and Countryside Act 1981. Improved provisions for the protection and management of SSSIs were introduced by the Countryside and Rights of Way Act 2000 (in England and Wales) and (in Scotland) by the Nature Conservation (Scotland) Act 2004 and the Wildlife and Natural Environment (Scotland) Act 2010.

This data is sourced from Natural England, Natural Resources Wales and Scottish Natural Heritage.

10.2 Conserved wetland sites (Ramsar sites)

Records within 2000m	0

Ramsar sites are designated under the Convention on Wetlands of International Importance, agreed in Ramsar, Iran, in 1971. They cover all aspects of wetland conservation and wise use, recognizing wetlands as ecosystems that are extremely important for biodiversity conservation in general and for the well-being of human communities. These sites cover a broad definition of wetland; marsh, fen, peatland or water, whether natural or artificial, permanent or temporary, with water that is static or flowing, fresh, brackish or salt, and even some marine areas.

This data is sourced from Natural England, Natural Resources Wales and Scottish Natural Heritage.

10.3 Special Areas of Conservation (SAC)

Records within 2000m	0

Areas which have been identified as best representing the range and variety within the European Union of habitats and (non-bird) species listed on Annexes I and II to the Directive. SACs are designated under the EC Habitats Directive.

This data is sourced from Natural England, Natural Resources Wales and Scottish Natural Heritage.

10.4 Special Protection Areas (SPA)

Records within 2000m	0

Sites classified by the UK Government under the EC Birds Directive, SPAs are areas of the most important habitat for rare (listed on Annex I to the Directive) and migratory birds within the European Union.

This data is sourced from Natural England, Natural Resources Wales and Scottish Natural Heritage.

10.5 National Nature Reserves (NNR)

Records within 2000m	0

Sites containing examples of some of the most important natural and semi-natural terrestrial and coastal ecosystems in Great Britain. They are managed to conserve their habitats, provide special opportunities for scientific study or to provide public recreation compatible with natural heritage interests.

This data is sourced from Natural England, Natural Resources Wales and Scottish Natural Heritage.

10.6 Local Nature Reserves (LNR)

Records within 2000m	0

Sites managed for nature conservation, and to provide opportunities for research and education, or simply enjoying and having contact with nature. They are declared by local authorities under the National Parks and Access to the Countryside Act 1949 after consultation with the relevant statutory nature conservation agency.

This data is sourced from Natural England, Natural Resources Wales and Scottish Natural Heritage.

10.7 Designated Ancient Woodland

Records within 2000m	9

Ancient woodlands are classified as areas which have been wooded continuously since at least 1600 AD. This includes semi-natural woodland and plantations on ancient woodland sites. 'Wooded continuously' does not mean there is or has previously been continuous tree cover across the whole site, and not all trees within the woodland have to be old.

Features are displayed on the Environmental designations map on **page 58 >**

ID	Location	Name	Woodland Type
A	927m S	College Wood	Ancient Replanted Woodland
A	957m S	College Wood	Ancient & Semi-Natural Woodland
-	1254m S	College Wood	Ancient Replanted Woodland
-	1424m S	Unknown	Ancient & Semi-Natural Woodland
-	1615m E	Unknown	Ancient Replanted Woodland
-	1705m E	Unknown	Ancient & Semi-Natural Woodland
-	1806m NE	White Fold Wood	Ancient Replanted Woodland
-	1877m N	Elm Wood	Ancient Replanted Woodland
-	1988m NE	Unknown	Ancient Replanted Woodland

This data is sourced from Natural England, Natural Resources Wales and Scottish Natural Heritage.

10.8 Biosphere Reserves

Records within 2000m	0

Biosphere Reserves are internationally recognised by UNESCO as sites of excellence to balance conservation and socioeconomic development between nature and people. They are recognised under the Man and the Biosphere (MAB) Programme with the aim of promoting sustainable development founded on the work of the local community.

This data is sourced from Natural England, Natural Resources Wales and Scottish Natural Heritage.

10.9 Forest Parks

Records within 2000m	0

These are areas managed by the Forestry Commission designated on the basis of recreational, conservation or scenic interest.

This data is sourced from the Forestry Commission.

10.10 Marine Conservation Zones

Records within 2000m	0

A type of marine nature reserve in UK waters established under the Marine and Coastal Access Act (2009). They are designated with the aim to protect nationally important, rare or threatened habitats and species.

This data is sourced from Natural England, Natural Resources Wales and Scottish Natural Heritage.

10.11 Green Belt

Records within 2000m	0

Areas designated to prevent urban sprawl by keeping land permanently open.

This data is sourced from the Ministry of Housing, Communities and Local Government.

10.12 Proposed Ramsar sites

Records within 2000m	0

Ramsar sites are areas listed as a Wetland of International Importance under the Convention on Wetlands of International Importance especially as Waterfowl Habitat (the Ramsar Convention) 1971. The sites here supplied have a status of 'Proposed' having been identified for potential adoption under the framework.

This data is sourced from Natural England.

10.13 Possible Special Areas of Conservation (pSAC)

Records within 2000m	0

Special Areas of Conservation are areas which have been identified as best representing the range and variety within the European Union of habitats and (non-bird) species listed on Annexes I and II to the Directive. SACs are designated under the EC Habitats Directive. Those sites supplied here are those with a status of 'Possible' having been identified for potential adoption under the framework.

This data is sourced from Natural England and Natural Resources Wales.

10.14 Potential Special Protection Areas (pSPA)

Records within 2000m	0

Special Protection Areas (SPAs) are areas designated (or 'classified') under the European Union Wild Birds Directive for the protection of nationally and internationally important populations of wild birds. Those sites supplied here are those with a status of 'Potential' having been identified for potential adoption under the framework.

This data is sourced from Natural England.

10.15 Nitrate Sensitive Areas

Records within 2000m	0

Areas where nitrate concentrations in drinking water sources exceeded or was at risk of exceeding the limit of 50 mg/l set by the 1980 EC Drinking Water Directive. Voluntary agricultural measures as a means of reducing the levels of nitrate were introduced by DEFRA as MAFF, with payments being made to farmers who complied. The scheme was started as a pilot in 1990 in ten areas, later implemented within 32 areas. The scheme was closed to further new entrants in 1998, although existing agreements continued for their full term. All Nitrate Sensitive Areas fell within the areas designated as Nitrate Vulnerable Zones (NVZs) in 1996 under the EC Nitrate Directive (91/676/EEC).

This data is sourced from Natural England.


10.16 Nitrate Vulnerable Zones

Records within 2000m	0

Areas at risk from agricultural nitrate pollution designated under the EC Nitrate Directive (91/676/EEC). These are areas of land that drain into waters polluted by nitrates. Farmers operating within these areas have to follow mandatory rules to tackle nitrate loss from agriculture.

This data is sourced from Natural England and Natural Resources Wales.

SSSI Impact Zones and Units



Site Outline

Search buffers in metres (m)

SSSI Impact Risk Zones

SSSI Units

- Not recorded
- Favourable
- Unfavourable - Recovering
- Unfavourable - No change
- Unfavourable - Declining
- Partially destroyed
- Destroyed

10.17 SSSI Impact Risk Zones

Records on site	1

Developed to allow rapid initial assessment of the potential risks to SSSIs posed by development proposals. They define zones around each SSSI which reflect the particular sensitivities of the features for which it is notified and indicate the types of development proposal which could potentially have adverse impacts.

Features are displayed on the SSSI Impact Zones and Units map on **page 63 >**

ID	Location	Type of developments requiring consultation
1	**On site**	**https://irz.geodata.org.uk/IRZ/step2.html?irzcode=0300000530050&notes=&location=361786,436944%20(IRZ%20polygon%20centre)**

This data is sourced from Natural England.

10.18 SSSI Units

Records within 2000m	0

Divisions of SSSIs used to record management and condition details. Units are the smallest areas for which Natural England gives a condition assessment, however, the size of units varies greatly depending on the types of management and the conservation interest.

This data is sourced from Natural England and Natural Resources Wales.

11 Visual and cultural designations



Site Outline

Search buffers in metres (m)

Listed buildings

Conservation areas

Conservation areas - no data

National Parks

Areas of Outstanding Natural Beauty

Registered parks and gardens

Scheduled Monuments

World Heritage Sites

11.1 World Heritage Sites

Records within 250m	0

Sites designated for their globally important cultural or natural interest requiring appropriate management and protection measures. World Heritage Sites are designated to meet the UK's commitments under the World Heritage Convention.

This data is sourced from Historic England, Cadw and Historic Environment Scotland.

11.2 Area of Outstanding Natural Beauty

Records within 250m	0

Areas of Outstanding Natural Beauty (AONB) are conservation areas, chosen because they represent 18% of the finest countryside. Each AONB has been designated for special attention because of the quality of their flora, fauna, historical and cultural associations, and/or scenic views. The National Parks and Access to the Countryside Act of 1949 created AONBs and the Countryside and Rights of Way Act, 2000 added further regulation and protection. There are likely to be restrictions to some developments within these areas.

This data is sourced from Natural England, Natural Resources Wales and Scottish Natural Heritage.

11.3 National Parks

Records within 250m	0

In England and Wales, the purpose of National Parks is to conserve and enhance landscapes within the countryside whilst promoting public enjoyment of them and having regard for the social and economic well-being of those living within them. In Scotland National Parks have the additional purpose of promoting the sustainable use of the natural resources of the area and the sustainable social and economic development of its communities. The National Parks and Access to the Countryside Act 1949 established the National Park designation in England and Wales, and The National Parks (Scotland) Act 2000 in Scotland.

This data is sourced from Natural England, Natural Resources Wales and the Scottish Government.

11.4 Listed Buildings

Records within 250m	1

Buildings listed for their special architectural or historical interest. Building control in the form of 'listed building consent' is required in order to make any changes to that building which might affect its special interest. Listed buildings are graded to indicate their relative importance, however building controls apply to all buildings equally, irrespective of their grade, and apply to the interior and exterior of the building in its entirety, together with any curtilage structures.

Features are displayed on the Visual and cultural designations map on **page 65 >**

ID	Location	Name	Grade	Reference Number	Listed date
1	37m NW	Tunnel Portal In The John Smith Playing Field	II	1254110	11/04/1986

This data is sourced from Historic England, Cadw and Historic Environment Scotland.

11.5 Conservation Areas

Records within 250m	0

Local planning authorities are obliged to designate as conservation areas any parts of their own area that are of special architectural or historic interest, the character and appearance of which it is desirable to preserve or enhance. Designation of a conservation area gives broader protection than the listing of individual buildings. All the features within the area, listed or otherwise, are recognised as part of its character. Conservation area designation is the means of recognising the importance of all factors and of ensuring that planning decisions address the quality of the landscape in its broadest sense.

This data is sourced from Historic England, Cadw and Historic Environment Scotland.

11.6 Scheduled Ancient Monuments

Records within 250m	0

A scheduled monument is an historic building or site that is included in the Schedule of Monuments kept by the Secretary of State for Digital, Culture, Media and Sport. The regime is set out in the Ancient Monuments and Archaeological Areas Act 1979. The Schedule of Monuments has c.20,000 entries and includes sites such as Roman remains, burial mounds, castles, bridges, earthworks, the remains of deserted villages and industrial sites. Monuments are not graded, but all are, by definition, considered to be of national importance.

This data is sourced from Historic England, Cadw and Historic Environment Scotland.


11.7 Registered Parks and Gardens

Records within 250m	0

Parks and gardens assessed to be of particular interest and of special historic interest. The emphasis being on 'designed' landscapes, rather than on planting or botanical importance. Registration is a 'material consideration' in the planning process, meaning that planning authorities must consider the impact of any proposed development on the special character of the landscape.

This data is sourced from Historic England, Cadw and Historic Environment Scotland.

12 Agricultural designations



Site Outline

Search buffers in metres (m)

- Grade 1 - excellent quality
- Grade 2 - very good quality
- Grade 3 - good to moderate quality
- Grade 3a - good quality
- Grade 3b - moderate quality
- Grade 4 - poor quality
- Grade 5 - very poor quality
- Non-agricultural land
- Urban land
- Exclusion land
- Tree felling licences
- Open Access land

12.1 Agricultural Land Classification

Records within 250m	2

Classification of the quality of agricultural land taking into consideration multiple factors including climate, physical geography and soil properties. It should be noted that the categories for the grading of agricultural land are not consistent across England, Wales and Scotland.

Features are displayed on the Agricultural designations map on **page 68 >**

ID	Location	Classification	Description
1	On site	Grade 3	Good to moderate quality agricultural land. Land with moderate limitations which affect the choice of crops, timing and type of cultivation, harvesting or the level of yield. Where more demanding crops are grown yields are generally lower or more variable than on land in Grades 1 and 2.

ID	Location	Classification	Description
2	35m NE	Grade 4	Poor quality agricultural land. Land with severe limitations which significantly restrict the range of crops and/or level of yields. It is mainly suited to grass with occasional arable crops (e.g. cereals and forage crops) the yields of which are variable. In moist climates, yields of grass may be moderate to high but there may be difficulties in utilisation. The grade also includes very droughty arable land.

This data is sourced from Natural England.

12.2 Open Access Land

Records within 250m	0

The Countryside and Rights of Way Act 2000 (CROW Act) gives a public right of access to land without having to use paths. Access land includes mountains, moors, heaths and downs that are privately owned. It also includes common land registered with the local council and some land around the England Coast Path. Generally permitted activities on access land are walking, running, watching wildlife and climbing.

This data is sourced from Natural England and Natural Resources Wales.

12.3 Tree Felling Licences

Records within 250m	0

Felling Licence Application (FLA) areas approved by Forestry Commission England. Anyone wishing to fell trees must ensure that a licence or permission under a grant scheme has been issued by the Forestry Commission before any felling is carried out or that one of the exceptions apply.

This data is sourced from the Forestry Commission.

12.4 Environmental Stewardship Schemes

Records within 250m	0

Environmental Stewardship covers a range of schemes that provide financial incentives to farmers, foresters and land managers to look after and improve the environment. The schemes identified may be historical schemes that have now expired, or may still be active.

This data is sourced from Natural England.


12.5 Countryside Stewardship Schemes

Records within 250m	0

Countryside Stewardship covers a range of schemes that provide financial incentives to farmers, foresters and land managers to look after and improve the environment. Main objectives are to improve the farmed environment for wildlife and to reduce diffuse water pollution.

This data is sourced from Natural England.

13 Habitat designations



Site Outline

Search buffers in metres (m)

Priority Habitat Inventory
Open Mosaic Habitat
Limestone Pavement Orders

Habitat Networks

Primary Habitat
Restorable Habitat
Associated Habitats
Habitat Restoration-Creation
Network Enhancement Zone 1
Network Enhancement Zone 2

13.1 Priority Habitat Inventory

Records within 250m	5

Habitats of principal importance as named under Natural Environment and Rural Communities Act (2006) Section 41.

Features are displayed on the Habitat designations map on **page 71 >**

ID	Location	Main Habitat	Other habitats
1	7m E	Deciduous woodland	Main habitat: DWOOD (INV > 50%)
2	29m NE	Deciduous woodland	Main habitat: DWOOD (INV > 50%)
3	39m SE	Deciduous woodland	Main habitat: DWOOD (INV > 50%)
4	108m SE	No main habitat but additional habitats present	Main habitat: DWOOD (INV > 50%)

ID	Location	Main Habitat	Other habitats
5	242m NE	Deciduous woodland	Main habitat: DWOOD (INV > 50%)

This data is sourced from Natural England.

13.2 Habitat Networks

Records within 250m	0

Habitat networks for 18 priority habitat networks (based primarily, but not exclusively, on the priority habitat inventory) and areas suitable for the expansion of networks through restoration and habitat creation.

This data is sourced from Natural England.

13.3 Open Mosaic Habitat

Records within 250m	0

Sites verified as Open Mosaic Habitat. Mosaic habitats are brownfield sites that are identified under the UK Biodiversity Action Plan as a priority habitat due to the habitat variation within a single site, supporting an array of invertebrates.

This data is sourced from Natural England.

13.4 Limestone Pavement Orders

Records within 250m	0

Limestone pavements are outcrops of limestone where the surface has been worn away by natural means over millennia. These rocks have the appearance of paving blocks, hence their name. Not only do they have geological interest, they also provide valuable habitats for wildlife. These habitats are threatened due to their removal for use in gardens and water features. Many limestone pavements have been designated as SSSIs which affords them some protection. In addition, Section 34 of the Wildlife and Countryside Act 1981 gave them additional protection via the creation of Limestone Pavement Orders, which made it a criminal offence to remove any part of the outcrop. The associated Limestone Pavement Priority Habitat is part of the UK Biodiversity Action Plan priority habitat in England.

This data is sourced from Natural England.

14 Geology 1:10,000 scale - Availability



© Crown copyright and database rights 2026. Ordnance Survey® licence AC0000824534

Site Outline

Search buffers in metres (m)

- Full coverage
- Partial coverage
- No coverage

14.1 10k Availability

Records within 500m	1

An indication on the coverage of 1:10,000 scale geology data for the site, the most detailed dataset provided by the British Geological Survey. Either 'Full', 'Partial' or 'No coverage' for each geological theme.

Features are displayed on the Geology 1:10,000 scale - Availability map on **page 73 >**

ID	Location	Artificial	Superficial	Bedrock	Mass movement	Sheet No.
1	On site	No coverage	No coverage	No coverage	No coverage	NoCov

This data is sourced from the British Geological Survey.

Geology 1:10,000 scale - Artificial and made ground

14.2 Artificial and made ground (10k)

Records within 500m	0

Details of made, worked, infilled, disturbed and landscaped ground at 1:10,000 scale. Artificial ground can be associated with potentially contaminated material, unpredictable engineering conditions and instability.

This data is sourced from the British Geological Survey.

Geology 1:10,000 scale - Superficial

14.3 Superficial geology (10k)

Records within 500m	0

Superficial geological deposits at 1:10,000 scale. Also known as 'drift', these are the youngest geological deposits, formed during the Quaternary. They rest on older deposits or rocks referred to as bedrock.

This data is sourced from the British Geological Survey.

14.4 Landslip (10k)

Records within 500m	0

Mass movement deposits on BGS geological maps at 1:10,000 scale. Primarily superficial deposits that have moved down slope under gravity to form landslips. These affect bedrock, other superficial deposits and artificial ground.

This data is sourced from the British Geological Survey.

Geology 1:10,000 scale - Bedrock

14.5 Bedrock geology (10k)

Records within 500m	0

Bedrock geology at 1:10,000 scale. The main mass of rocks forming the Earth and present everywhere, whether exposed at the surface in outcrops or concealed beneath superficial deposits or water.

This data is sourced from the British Geological Survey.


14.6 Bedrock faults and other linear features (10k)

Records within 500m	0

Linear features at the ground or bedrock surface at 1:10,000 scale of six main types; rock, fault, fold axis, mineral vein, alteration area or landform. Features are either observed or inferred, and relate primarily to bedrock.

This data is sourced from the British Geological Survey.

15 Geology 1:50,000 scale - Availability



© Crown copyright and database rights 2026. Ordnance Survey® licence AC0000824534

Site Outline

Search buffers in metres (m)

Geological map tile

15.1 50k Availability

Records within 500m	1


An indication on the coverage of 1:50,000 scale geology data for the site. Either 'Full' or 'No coverage' for each geological theme.

Features are displayed on the Geology 1:50,000 scale - Availability map on **page 77 >**

ID	Location	Artificial	Superficial	Bedrock	Mass movement	Sheet No.
1	**On site**	**Full**	**Full**	**Full**	**Full**	**EW067_garstang_v4**

This data is sourced from the British Geological Survey.

Geology 1:50,000 scale - Artificial and made ground



Site Outline

Search buffers in metres (m)

- Made ground
- Worked ground
- Infilled ground
- Disturbed ground
- Landscaped ground

15.2 Artificial and made ground (50k)

Records within 500m	4

Details of made, worked, infilled, disturbed and landscaped ground at 1:50,000 scale. Artificial ground can be associated with potentially contaminated material, unpredictable engineering conditions and instability.

Features are displayed on the Geology 1:50,000 scale - Artificial and made ground map on **page 78 >**

ID	Location	LEX Code	Description	Rock description
1	96m NW	MGR-ARTDP	Made Ground	Artificial deposit
2	296m NE	MGR-ARTDP	Made Ground	Artificial deposit
3	340m E	MGR-ARTDP	Made Ground	Artificial deposit
4	361m N	MGR-ARTDP	Made Ground	Artificial deposit

This data is sourced from the British Geological Survey.


15.3 Artificial ground permeability (50k)

Records within 50m	0

A qualitative classification of estimated rates of vertical movement of water from the ground surface through the unsaturated zone of any artificial deposits (the zone between the land surface and the water table).

This data is sourced from the British Geological Survey.

Geology 1:50,000 scale - Superficial



© Crown copyright and database rights 2026. Ordnance Survey® licence AC0000824534

Site Outline

Search buffers in metres (m)

Landslip (50k)

Superficial geology (50k)
Please see table for more details.

15.4 Superficial geology (50k)

Records within 500m **2**

Superficial geological deposits at 1:50,000 scale. Also known as 'drift', these are the youngest geological deposits, formed during the Quaternary. They rest on older deposits or rocks referred to as bedrock.

Features are displayed on the Geology 1:50,000 scale - Superficial map on **page 80 >**

ID	Location	LEX Code	Description	Rock description
1	42m NW	TILLD-DMTN	Till, Devensian	Diamicton
2	171m SE	TILLD-DMTN	Till, Devensian	Diamicton

This data is sourced from the British Geological Survey.

15.5 Superficial permeability (50k)

Records within 50m	1

A qualitative classification of estimated rates of vertical movement of water from the ground surface through the unsaturated zone of any superficial deposits (the zone between the land surface and the water table).

Location	Flow type	Maximum permeability	Minimum permeability
42m NW	Mixed	High	Low

This data is sourced from the British Geological Survey.

15.6 Landslip (50k)

Records within 500m	0

Mass movement deposits on BGS geological maps at 1:50,000 scale. Primarily superficial deposits that have moved down slope under gravity to form landslips. These affect bedrock, other superficial deposits and artificial ground.

This data is sourced from the British Geological Survey.


15.7 Landslip permeability (50k)

Records within 50m	0

A qualitative classification of estimated rates of vertical movement of water from the ground surface through the unsaturated zone of any landslip deposits (the zone between the land surface and the water table).

This data is sourced from the British Geological Survey.

Geology 1:50,000 scale - Bedrock



© Crown copyright and database rights 2026. Ordnance Survey® licence AC0000824534

Site Outline

Search buffers in metres (m)

Bedrock faults and other linear features (50k)

Bedrock geology (50k)
Please see table for more details.

15.8 Bedrock geology (50k)

Records within 500m **6**

Bedrock geology at 1:50,000 scale. The main mass of rocks forming the Earth and present everywhere, whether exposed at the surface in outcrops or concealed beneath superficial deposits or water.

Features are displayed on the Geology 1:50,000 scale - Bedrock map on **page 82 >**

ID	Location	LEX Code	Description	Rock age
1	**On site**	**PG-SDST**	**Pendle Grit Member-Sandstone**	**Namurian**
2	53m NW	PG-MDST	Pendle Grit Member-Mudstone	Namurian
3	201m NW	PG-SLSST	Pendle Grit Member-Silty sandstone	Namurian
4	328m N	PG-SLSST	Pendle Grit Member-Silty sandstone	Namurian

ID	Location	LEX Code	Description	Rock age
5	335m NW	PG-SLSST	Pendle Grit Member-Silty sandstone	Namurian
6	472m NW	BSG-MDST	Bowland Shale Formation-Mudstone	Visean

This data is sourced from the British Geological Survey.

15.9 Bedrock permeability (50k)

Records within 50m	**1**

A qualitative classification of estimated rates of vertical movement of water from the ground surface through the unsaturated zone of bedrock (the zone between the land surface and the water table).

Location	Flow type	Maximum permeability	Minimum permeability
On site	**Fracture**	**High**	**Moderate**

This data is sourced from the British Geological Survey.

15.10 Bedrock faults and other linear features (50k)

Records within 500m	**0**

Linear features at the ground or bedrock surface at 1:50,000 scale of six main types; rock, fault, fold axis, mineral vein, alteration area or landform. Features are either observed or inferred, and relate primarily to bedrock.

This data is sourced from the British Geological Survey.

16 Boreholes


16.1 BGS Boreholes

Records within 250m	0

The Single Onshore Boreholes Index (SOBI); an index of over one million records of boreholes, shafts and wells from all forms of drilling and site investigation work held by the British Geological Survey. Covering onshore and nearshore boreholes dating back to at least 1790 and ranging from one to several thousand metres deep.

This data is sourced from the British Geological Survey.

17 Natural ground subsidence - Shrink swell clays



Site Outline

Search buffers in metres (m)

- No data
- Negligible
- Very low
- Low
- Moderate
- High

17.1 Shrink swell clays

Records within 50m	2


The potential hazard presented by soils that absorb water when wet (making them swell), and lose water as they dry (making them shrink). This shrink-swell behaviour is controlled by the type and amount of clay in the soil, and by seasonal changes in the soil moisture content (related to rainfall and local drainage).

Features are displayed on the Natural ground subsidence - Shrink swell clays map on **page 85 >**

Location	Hazard rating	Details
On site	**Negligible**	**Ground conditions predominantly non-plastic.**
42m NW	Very low	Ground conditions predominantly low plasticity.

This data is sourced from the British Geological Survey.

Natural ground subsidence - Running sands



Site Outline

Search buffers in metres (m)

- No data
- Negligible
- Very low
- Low
- Moderate
- High

17.2 Running sands

Records within 50m	2

The potential hazard presented by rocks that can contain loosely-packed sandy layers that can become fluidised by water flowing through them. Such sands can 'run', removing support from overlying buildings and causing potential damage.


Features are displayed on the Natural ground subsidence - Running sands map on **page 86 >**

Location	Hazard rating	Details
On site	**Negligible**	**Running sand conditions are not thought to occur whatever the position of the water table. No identified constraints on lands use due to running conditions.**

Location	Hazard rating	Details
42m NW	Very low	Running sand conditions are unlikely. No identified constraints on land use due to running conditions unless water table rises rapidly.

This data is sourced from the British Geological Survey.

Natural ground subsidence - Compressible deposits



Site Outline

Search buffers in metres (m)

- No data
- Negligible
- Very low
- Low
- Moderate
- High

17.3 Compressible deposits

Records within 50m	1


The potential hazard presented by types of ground that may contain layers of very soft materials like clay or peat and may compress if loaded by overlying structures, or if the groundwater level changes, potentially resulting in depression of the ground and disturbance of foundations.

Features are displayed on the Natural ground subsidence - Compressible deposits map on **page 88 >**

Location	Hazard rating	Details
On site	**Negligible**	**Compressible strata are not thought to occur.**

This data is sourced from the British Geological Survey.

Natural ground subsidence - Collapsible deposits



Site Outline

Search buffers in metres (m)

- No data
- Negligible
- Very low
- Low
- Moderate
- High

17.4 Collapsible deposits

Records within 50m	1


The potential hazard presented by natural deposits that could collapse when a load (such as a building) is placed on them or they become saturated with water.

Features are displayed on the Natural ground subsidence - Collapsible deposits map on **page 89 >**

Location	Hazard rating	Details
On site	**Very low**	**Deposits with potential to collapse when loaded and saturated are unlikely to be present.**

This data is sourced from the British Geological Survey.

Natural ground subsidence - Landslides



17.5 Landslides

Records within 50m	2

The potential for landsliding (slope instability) to be a hazard assessed using 1:50,000 scale digital maps of superficial and bedrock deposits, combined with information from the BGS National Landslide Database and scientific and engineering reports.


Features are displayed on the Natural ground subsidence - Landslides map on **page 90 >**

Location	Hazard rating	Details
On site	**Very low**	**Slope instability problems are not likely to occur but consideration to potential problems of adjacent areas impacting on the site should always be considered.**

Location	Hazard rating	Details
42m NW	Low	Slope instability problems may be present or anticipated. Site investigation should consider specifically the slope stability of the site.

This data is sourced from the British Geological Survey.

Natural ground subsidence - Ground dissolution of soluble rocks



© Crown copyright and database rights 2026. Ordnance Survey® licence AC0000824534

17.6 Ground dissolution of soluble rocks

Records within 50m	1


The potential hazard presented by ground dissolution, which occurs when water passing through soluble rocks produces underground cavities and cave systems. These cavities reduce support to the ground above and can cause localised collapse of the overlying rocks and deposits.

Features are displayed on the Natural ground subsidence - Ground dissolution of soluble rocks map on **page 92 >**

Location	Hazard rating	Details
On site	**Negligible**	**Soluble rocks are either not thought to be present within the ground, or not prone to dissolution. Dissolution features are unlikely to be present.**

This data is sourced from the British Geological Survey.

18 Mining and ground workings



Site Outline

Search buffers in metres (m)

- BritPits
- Surface ground workings
- Underground workings
- Underground mining extents
- Historical mineral planning areas
- TCA non-coal mining

Non Coal Mining

- Sporadic underground mining of restricted extent possible
- Localised small scale underground mining possible
- Small scale mining possible
- Underground mining known or likely within or in close proximity
- Underground mining known within or in very close proximity

18.1 BritPits

Records within 500m	7

BritPits (an abbreviation of British Pits) is a database maintained by the British Geological Survey of currently active and closed surface and underground mineral workings. Details of major mineral handling sites, such as wharfs and rail depots are also held in the database.

Features are displayed on the Mining and ground workings map on **page 94 >**

ID	Location	Details	Description
3	73m NE	Name: Tootle Heigh Quarry Address: LONGRIDGE, Lancashire Commodity: Sandstone Status: Ceased	Type: A surface mineral working. It may be termed Quarry, Delf, Delph, Gravel Pit, Sand Pit, Sand and Gravel Pit, Clay Pit, Pit, Opencast Coal Site or Surface Mine. It may be mapped as Worked Ground or Worked and Made Ground on BGS mapping. Status description: Site which has ceased to extract minerals. May be considered as 'Closed' by operator. May be considered to have 'Active', 'Dormant' or 'Expired' planning permissions by the Mineral Planning Authority.
E	151m NW	Name: Severn Acres Address: LONGRIDGE, Lancashire Commodity: Sandstone Status: Ceased	Type: A surface mineral working. It may be termed Quarry, Delf, Delph, Gravel Pit, Sand Pit, Sand and Gravel Pit, Clay Pit, Pit, Opencast Coal Site or Surface Mine. It may be mapped as Worked Ground or Worked and Made Ground on BGS mapping. Status description: Site which has ceased to extract minerals. May be considered as 'Closed' by operator. May be considered to have 'Active', 'Dormant' or 'Expired' planning permissions by the Mineral Planning Authority.
F	200m E	Name: New England Quarry Address: LONGRIDGE, Lancashire Commodity: Sandstone Status: Ceased	Type: A surface mineral working. It may be termed Quarry, Delf, Delph, Gravel Pit, Sand Pit, Sand and Gravel Pit, Clay Pit, Pit, Opencast Coal Site or Surface Mine. It may be mapped as Worked Ground or Worked and Made Ground on BGS mapping. Status description: Site which has ceased to extract minerals. May be considered as 'Closed' by operator. May be considered to have 'Active', 'Dormant' or 'Expired' planning permissions by the Mineral Planning Authority.
A	230m NE	Name: Tootle Height Quarry Address: Longridge, PRESTON, Lancashire Commodity: Sandstone Status: Ceased	Type: A surface mineral working. It may be termed Quarry, Delf, Delph, Gravel Pit, Sand Pit, Sand and Gravel Pit, Clay Pit, Pit, Opencast Coal Site or Surface Mine. It may be mapped as Worked Ground or Worked and Made Ground on BGS mapping. Status description: Site which has ceased to extract minerals. May be considered as 'Closed' by operator. May be considered to have 'Active', 'Dormant' or 'Expired' planning permissions by the Mineral Planning Authority.

ID	Location	Details	Description
I	291m E	Name: West End Quarry Address: LONGRIDGE, Lancashire Commodity: Sandstone Status: Ceased	Type: A surface mineral working. It may be termed Quarry, Delf, Delph, Gravel Pit, Sand Pit, Sand and Gravel Pit, Clay Pit, Pit, Opencast Coal Site or Surface Mine. It may be mapped as Worked Ground or Worked and Made Ground on BGS mapping. Status description: Site which has ceased to extract minerals. May be considered as 'Closed' by operator. May be considered to have 'Active', 'Dormant' or 'Expired' planning permissions by the Mineral Planning Authority.
K	321m N	Name: Lords Address: Longridge, PRESTON, Lancashire Commodity: Sandstone Status: Ceased	Type: A surface mineral working. It may be termed Quarry, Delf, Delph, Gravel Pit, Sand Pit, Sand and Gravel Pit, Clay Pit, Pit, Opencast Coal Site or Surface Mine. It may be mapped as Worked Ground or Worked and Made Ground on BGS mapping. Status description: Site which has ceased to extract minerals. May be considered as 'Closed' by operator. May be considered to have 'Active', 'Dormant' or 'Expired' planning permissions by the Mineral Planning Authority.
L	424m NE	Name: Spencers Address: Longridge, PRESTON, Lancashire Commodity: Sandstone Status: Ceased	Type: A surface mineral working. It may be termed Quarry, Delf, Delph, Gravel Pit, Sand Pit, Sand and Gravel Pit, Clay Pit, Pit, Opencast Coal Site or Surface Mine. It may be mapped as Worked Ground or Worked and Made Ground on BGS mapping. Status description: Site which has ceased to extract minerals. May be considered as 'Closed' by operator. May be considered to have 'Active', 'Dormant' or 'Expired' planning permissions by the Mineral Planning Authority.

This data is sourced from the British Geological Survey.

18.2 Surface ground workings

Records within 250m **34**

Historical land uses identified from Ordnance Survey® mapping that involved ground excavation at the surface. These features may or may not have been subsequently backfilled.

Features are displayed on the Mining and ground workings map on **page 94 >**

ID	Location	Land Use	Year of mapping	Mapping scale
A	**On site**	**Unspecified Quarry**	**1951**	**1:10560**
A	**On site**	**Unspecified Quarries**	**1892**	**1:10560**

ID	Location	Land Use	Year of mapping	Mapping scale
A	3m SE	Sandstone Quarry	1847	1:10560
2	3m S	Unspecified Heap	1910	1:10560
B	3m SE	Unspecified Quarries	1932	1:10560
A	22m NE	Unspecified Quarry	1969	1:10560
A	24m NE	Unspecified Quarry	1951	1:10560
A	28m NE	Unspecified Quarry	1910	1:10560
D	36m S	Unspecified Quarry	1910	1:10560
D	56m S	Unspecified Quarry	1910	1:10560
D	57m S	Pond	1969	1:10560
D	57m S	Pond	1994	1:10000
D	74m SE	Pond	1951	1:10560
A	79m E	Unspecified Heaps	1910	1:10560
D	89m SE	Unspecified Pit	1910	1:10560
E	92m NW	Refuse Heap	1969	1:10560
E	107m NW	Unspecified Quarry	1847	1:10560
E	114m N	Unspecified Pit	1932	1:10560
E	114m N	Unspecified Pit	1910	1:10560
E	114m N	Unspecified Pit	1892	1:10560
A	116m E	Unspecified Heap	1910	1:10560
F	120m E	Unspecified Quarry	1910	1:10560
G	126m SE	Unspecified Heap	1951	1:10560
G	126m SE	Unspecified Heap	1969	1:10560
G	126m SE	Unspecified Heap	1994	1:10000
H	196m NW	Unspecified Ground Workings	1932	1:10560
H	196m NW	Unspecified Ground Workings	1910	1:10560
H	198m NW	Unspecified Heaps	1951	1:10560
4	200m E	Unspecified Heap	1932	1:10560
F	203m E	Pond	1994	1:10000

ID	Location	Land Use	Year of mapping	Mapping scale
F	210m NE	Pond	1892	1:10560
H	216m NW	Unspecified Ground Workings	1892	1:10560
H	218m NW	Unspecified Quarry	1969	1:10560
H	238m NW	Refuse Heap	1847	1:10560

This is data is sourced from Ordnance Survey®/Groundsure.

18.3 Underground workings

Records within 1000m	**4**

Historical land uses identified from Ordnance Survey® mapping that indicate the presence of underground workings e.g. mine shafts.

Features are displayed on the Mining and ground workings map on **page 94 >**

ID	Location	Land Use	Year of mapping	Mapping scale
C	6m NE	Tunnel	1932	1:10560
C	6m NE	Tunnel	1910	1:10560
C	7m NE	Tunnel	1969	1:10560
C	19m NE	Tunnel	1951	1:10560

This is data is sourced from Ordnance Survey®/Groundsure.

18.4 Underground mining extents

Records within 500m	**0**

This data identifies underground mine workings that could present a potential risk, including adits and seam workings. These features have been identified from BGS Geological mapping and mine plans sourced from the BGS and various collections and sources.

This data is sourced from Groundsure.

18.5 Historical Mineral Planning Areas

Records within 500m	2

Boundaries of mineral planning permissions for England and Wales. This data was collated between the 1940s (and retrospectively to the 1930s) and the mid 1980s. The data includes permitted, withdrawn and refused permissions.

Features are displayed on the Mining and ground workings map on **page 94 >**

ID	Location	Site Name	Mineral	Type	Planning Status	Planning Status Date
B	14m NE	Nook Fold	Sandstone	Surface mineral working	Valid	Not available
A	16m NE	Railway	Sandstone, sand and gravel	Surface mineral working	Valid	Not available

This data is sourced from the British Geological Survey.

18.6 Non-coal mining

Records within 1000m	2

The potential for historical non-coal mining to have affected an area. The assessment is drawn from expert knowledge and literature in addition to the digital geological map of Britain. Mineral commodities may be divided into seven general categories - vein minerals, chalk, oil shale, building stone, bedded ores, evaporites and 'other' commodities (including ball clay, jet, black marble, graphite and chert).

Features are displayed on the Mining and ground workings map on **page 94 >**

ID	Location	Name	Commodity	Class	Likelihood
1	**On site**	**Not available**	**Vein Mineral**	**A**	**Underground mine workings are uncommon, although the geology is similar to that worked elsewhere. Potential for difficult ground conditions are unlikely and are at a level where they need not be considered.**
8	472m NW	Not available	Vein Mineral	B	Underground mine workings may have occurred in the past or current mines may be working at significant depth to modern engineering standards. Potential for difficult ground conditions are unlikely and are at a level where they need not be considered.

This data is sourced from the British Geological Survey.

18.7 JPB mining areas

Records on site	0

Areas which could be affected by former coal and other mining. This data includes some mine plans unavailable to the Coal Authority.

This data is sourced from Johnson Poole and Bloomer.

18.8 The Coal Authority non-coal mining

Records within 500m	0

This data provides an indication of the potential zone of influence of recorded underground non-coal mining workings. Any and all analysis and interpretation of Coal Authority Data in this report is made by Groundsure, and is in no way supported, endorsed or authorised by the Coal Authority. The use of the data is restricted to the terms and provisions contained in this report. Data reproduced in this report may be the copyright of the Coal Authority and permission should be sought from Groundsure prior to any re-use.

This data is sourced from The Coal Authority.

18.9 Researched mining

Records within 500m	0

This data indicates areas of potential mining identified from alternative or archival sources, including; BGS Geological paper maps, Lidar data, aerial photographs (from World War II onwards), archaeological data services, websites, Tithe maps, and various text/plans from collected books and reports. Some of this data is approximate and Groundsure have interpreted the resultant risk area and, where possible, specific areas of risk have been captured.

This data is sourced from Groundsure.

18.10 Mining record office plans

Records within 500m	0

This dataset is representative of Mining Record Office and/or plan extents held by Groundsure and should be considered approximate. Where possible, plans have been located and any specific areas of risk they depict have been captured.

This data is sourced from Groundsure.

18.11 BGS mine plans

Records within 500m	0

This dataset is representative of BGS mine plans held by Groundsure and should be considered approximate. Where possible, plans have been located and any specific areas of risk they depict have been captured.

This data is sourced from Groundsure.

18.12 Coal mining

Records on site	0

Areas which could be affected by past, current or future coal mining.

This data is sourced from the Coal Authority.

18.13 Brine areas

Records on site	0

The Cheshire Brine Compensation District indicates areas that may be affected by salt and brine extraction in Cheshire and where compensation would be available where damage from this mining has occurred. Damage from salt and brine mining can still occur outside this district, but no compensation will be available.

This data is sourced from the Cheshire Brine Subsidence Compensation Board.

18.14 Gypsum areas

Records on site	0

Generalised areas that may be affected by gypsum extraction.

This data is sourced from British Gypsum.

18.15 Tin mining

Records on site	0

Generalised areas that may be affected by historical tin mining.

This data is sourced from Groundsure.

18.16 Clay mining

Records on site	0

Generalised areas that may be affected by kaolin and ball clay extraction.

This data is sourced from the Kaolin and Ball Clay Association (UK).

19 Ground cavities and sinkholes

19.1 Natural cavities

Records within 500m	0

Industry recognised national database of natural cavities. Sinkholes and caves are formed by the dissolution of soluble rock, such as chalk and limestone, gulls and fissures by cambering. Ground instability can result from movement of loose material contained within these cavities, often triggered by water.

This data is sourced from Stantec UK Ltd.

19.2 Mining cavities

Records within 1000m	0

Industry recognised national database of mining cavities. Degraded mines may result in hazardous subsidence (crown holes). Climatic conditions and water escape can also trigger subsidence over mine entrances and workings.

This data is sourced from Stantec UK Ltd.

19.3 Reported recent incidents

Records within 500m	0

This data identifies sinkhole information gathered from media reports and Groundsure's own records. This data goes back to 2014 and includes relative accuracy ratings for each event and links to the original data sources. The data is updated on a regular basis and should not be considered a comprehensive catalogue of all sinkhole events. The absence of data in this database does not mean a sinkhole definitely has not occurred during this time.

This data is sourced from Groundsure.

19.4 Historical incidents

Records within 500m	0

This dataset comprises an extract of 1:10,560, 1:10,000, 1:2,500 and 1:1,250 scale historical Ordnance Survey® maps held by Groundsure, dating back to the 1840s. It shows shakeholes, deneholes and other 'holes' as noted on these maps. Dene holes are medieval chalk extraction pits, usually comprising a narrow shaft with a number of chambers at the base of the shaft. Shakeholes are an alternative name for suffusion sinkholes, most commonly found in the limestone landscapes of North Yorkshire but also extensively noted around the Brecon Beacons National Park.

Not all 'holes' noted on Ordnance Survey® mapping will necessarily be present within this dataset.

This data is sourced from Groundsure.

20 Radon



© Crown copyright and database rights 2026. Ordnance Survey® licence AC0000824534

Site Outline

Search buffers in metres (m)

- Greater than 30%
- Between 10% and 30%
- Between 5% and 10%
- Between 3% and 5%
- Between 1% and 3%
- Less than 1%

20.1 Radon

Records on site	1

The Radon Potential data classifies areas based on their likelihood of a property having a radon level at or above the Action Level in Great Britain. The dataset is intended for use at 1:50,000 scale and was derived from both geological assessments and indoor radon measurements (more than 560,000 records). A minimum 50m buffer should be considered when searching the maps, as the smallest detectable feature at this scale is 50m. The findings of this section should supersede any estimations derived from the Indicative Atlas of Radon in Great Britain (1:100,000 scale).

Features are displayed on the Radon map on **page 105 >**

Location	Estimated properties affected	Radon Protection Measures required
On site	**Less than 1%**	**None**

This data is sourced from the British Geological Survey and UK Health Security Agency.

21 Soil chemistry

21.1 BGS Estimated Background Soil Chemistry

Records within 50m	2

The estimated values provide the likely background concentration of the potentially harmful elements Arsenic, Cadmium, Chromium, Lead and Nickel in topsoil. The values are estimated primarily from rural topsoil data collected at a sample density of approximately 1 per 2 km^2. In areas where rural soil samples are not available, estimation is based on stream sediment data collected from small streams at a sampling density of 1 per 2.5 km^2; this is the case for most of Scotland, Wales and southern England. The stream sediment data are converted to soil-equivalent concentrations prior to the estimation.

Location	Arsenic	Bioaccessible Arsenic	Lead	Bioaccessible Lead	Cadmium	Chromium	Nickel
On site	**15 mg/kg**	**No data**	**100 mg/kg**	**60 mg/kg**	**1.8 mg/kg**	**60 - 90 mg/kg**	**15 - 30 mg/kg**
42m NW	15 mg/kg	No data	100 mg/kg	60 mg/kg	1.8 mg/kg	90 - 120 mg/kg	15 - 30 mg/kg

This data is sourced from the British Geological Survey.

21.2 BGS Estimated Urban Soil Chemistry

Records within 50m	0

Estimated topsoil chemistry of Arsenic, Cadmium, Chromium, Copper, Nickel, Lead, Tin and Zinc and bioaccessible Arsenic and Lead in 23 urban centres across Great Britain. These estimates are derived from interpolation of the measured urban topsoil data referred to above and provide information across each city between the measured sample locations (4 per km^2).

This data is sourced from the British Geological Survey.


21.3 BGS Measured Urban Soil Chemistry

Records within 50m	0

The locations and measured total concentrations (mg/kg) of Arsenic, Cadmium, Chromium, Copper, Nickel, Lead, Tin and Zinc in urban topsoil samples from 23 urban centres across Great Britain. These are collected at a sample density of 4 per km^2.

This data is sourced from the British Geological Survey.

22 Railway infrastructure and projects



Site Outline

Search buffers in metres (m)

- Crossrail 2 Stations
- Crossrail 2 Route
- Crossrail 2 Worksites
- Crossrail 2 Safeguarding
- Crossrail 2 Headhouses
- Railway stations
- Active railways
- Active tunnels
- Abandoned railways
- Historic railways
- Historic tunnels
- Underground stations
- Underground Lines
- Royal Mail tunnels
- HS2 optimised route
- HS2 Stations
- HS2 Depots
- HS2 Surface Safeguarding
- HS2 Subsurface Safeguarding

22.1 Underground railways (London)

Records within 250m	0

Details of all active London Underground lines, including approximate tunnel roof depth and operational hours.

This data is sourced from publicly available information by Groundsure.

22.2 Underground railways (Non-London)

Records within 250m	0

Details of the Merseyrail system, the Tyne and Wear Metro and the Glasgow Subway. Not all parts of all systems are located underground. The data contains location information only and does not include a depth assessment.

This data is sourced from publicly available information by Groundsure.

22.3 Railway tunnels

Records within 250m	0

Railway tunnels taken from contemporary Ordnance Survey® mapping.

This data is sourced from the Ordnance Survey®.

22.4 Historical railway and tunnel features

Records within 250m	11

Railways and tunnels digitised from historical Ordnance Survey® mapping as scales of 1:1,250, 1:2,500, 1:10,000 and 1:10,560.

Features are displayed on the Railway infrastructure and projects map on **page 108 >**

Location	Land Use	Year of mapping	Mapping scale
On site	**Railway Sidings**	**1892**	**10560**
6m NE	Tunnel	1932	10560
6m NE	Tunnel	1910	10560
7m NE	Tunnel	1969	10560
7m NE	Tunnel	1847	10560
10m E	Railway Sidings	1932	10560
11m NE	Tunnel	1967	2500
11m E	Railway Sidings	1910	10560
19m NE	Tunnel	1951	10560
32m NW	Railway Sidings	1932	10560
33m NW	Railway Sidings	1910	10560

This data is sourced from Ordnance Survey®/Groundsure.

22.5 Royal Mail tunnels

Records within 250m	0

The Post Office Railway, otherwise known as the Mail Rail, is an underground railway running through Central London from Paddington Head District Sorting Office to Whitechapel Eastern Head Sorting Office. The line is 10.5km long. The data includes details of the full extent of the tunnels, the depth of the tunnel, and the depth to track level.

This data is sourced from Groundsure/the Postal Museum.

22.6 Historical railways

Records within 250m	5

Former railway lines, including dismantled lines, abandoned lines, disused lines, historic railways and razed lines.

Features are displayed on the Railway infrastructure and projects map on **page 108 >**

Location	Description
6m N	Historical OSM
13m NE	Razed
16m NE	Razed
32m NW	Abandoned
45m NW	Historical OSM

This data is sourced from OpenStreetMap.

22.7 Railways

Records within 250m	0

Currently existing railway lines, including standard railways, narrow gauge, funicular, trams and light railways.

This data is sourced from Ordnance Survey® and OpenStreetMap.

22.8 Crossrail 2

Records within 500m	0

Crossrail 2 is a proposed railway linking the national rail networks in Surrey and Hertfordshire via an underground tunnel through London. Please note that the Crossrail 2 project has been temporarily suspended. It is possible funding will be received in the future, but there is no guarantee of this.

This data is sourced from publicly available information by Groundsure.

22.9 HS2

Records within 500m	0

HS2 is a proposed high speed rail network running from London to Manchester and Leeds via Birmingham. Main civils construction on Phase 1 (London to Birmingham) of the project began in 2019, and it is currently anticipated that this phase will be fully operational by 2026. Construction on Phase 2a (Birmingham to Crewe) is anticipated to commence in 2021, with the service fully operational by 2027. Construction on Phase 2b (Crewe to Manchester and Birmingham to Leeds) is scheduled to begin in 2023 and be operational by 2033.

This data is sourced from HS2 ltd.

Data providers

Groundsure works with respected data providers to bring you the most relevant and accurate information. To find out who they are and their areas of expertise see https://www.groundsure.com/sources-reference ↗.

Terms and conditions

Groundsure's Terms and Conditions can be accessed at this link: www.groundsure.com/terms-conditions-april-2026/ ↗.